

CITY OF SELAH

Request for Proposals Package (RFP)

Project: Wood Field Athletic
Fence at Carlon Park



April 2022

Table of Contents

<u>PART 1 – INSTRUCTIONS TO BIDDERS</u>	3	COSTS AND ATTORNEY FEES	17
SOLICITATION OF SEALED BIDS	3	TERMINATION OF CONTRACT	17
THE DATE OF SOLICITATION	3	RESTRICTION ON ASSIGNMENT	17
THE PROJECT	3	BINDING ON HEIRS	18
THE OWNER	3	INCORPORATION OF RFP	18
CITY REPRESENTATIVE FOR QUESTIONS	4	<u>PART 5 – BID FORMS</u>	19
SUBMISSION OF BIDS	4	BIDDER’S INFORMATION	20
CITY MAY REQUEST ADDITIONAL INFOR.	4	PRIOR RELEVANT PROJECTS	21
PROJECT SITE TOURS	5	BID AMOUNT FOR SCHEDULE A WORK	22
<u>PART 2 – GENERAL CONDITIONS</u>	6	BID AMOUNT FOR SCHEDULE B WORK	22
SCOPE OF WORK	6	CERTIFICATION BY BIDDER’S AGENT	23
DURATION OF CONTRACT	6	PROOF OF INSURANCE	23
RESTRICTIONS ON SUBCONTRACTING	6	<u>EXHIBITS</u>	24
GENERAL QUALIFICATIONS	7	EXHIBIT A: TYPICAL LINE POST SETTING	25
INDEMNIFICATION	7	EXHIBIT B: 6 FT. CHAIN-LINK FENCE	26
INSURANCE	8	EXHIBIT C: 8 FT. CHAIN-LINK FENCE	27
PAYMENTS	11	EXHIBIT D: 16 FT. CHAIN-LINK FENCE	28
TAXES	11	EXHIBIT E: 6 FT. CORNER/GATE POST ELEVATION	29
PROJECT CONDITIONS	11	EXHIBIT F: 8 FT. CORNER POST ELEVATION	30
SEQUENCING AND SCHEDULING	11	EXHIBIT G: 16 FT. CORNER/GATE POST ELEVATION	31
<u>PART 3 – TECHNICAL SPECIFICATIONS</u>	12	EXHIBIT H: SCHEDULE A MAINTENANCE	
SUBMITTALS	12	GATE ELEVATION	32
PROTECTION	12	EXHIBIT I: SCHEDULE B MAINTENANCE	
PRODUCTS	13	GATE ELEVATION	33
EXECUTION	16	EXHIBIT J: TENSION BAND DETAIL	34
<u>PART 4 – MANDATORY CONTRACT TERMS</u>	17		
DISPUTE RESOLUTION	17		

INSTRUCTIONS TO BIDDERS



PART 1 – INSTRUCTIONS TO BIDDERS

SOLICITATION OF SEALED BIDS

The City of Selah invites any interested contractor to submit a sealed bid for construction of project known as Wood Field Athletic Fence at Carlon Park, in accordance with this Request for Proposals package (RFP). Your response to this RFP will be evaluated to determine the qualifications of your firm. Bids must adhere to the format and content of this RFP. Bids will not be evaluated unless all parts requested are submitted in a complete submission. The information set forth is the minimum required in order to qualify for consideration. The successful bidder shall be required to enter into a construction contract based on the specifications outlined in this RFP.

THE DATE OF SOLICITATION

April 3, 2022 and April 10, 2022

THE PROJECT

Project Name: Wood Field Athletic Fence at Carlon Park

Project Address: Selah, WA 98942

THE OWNER

Name: City of Selah

Address: 115 W. Naches Avenue

Selah, WA 98942

Contact: Joe Henne, City Administrator

Contact Phone: (509)-698-7328

Contact E-Mail joe.henne@selahwa.gov

INSTRUCTIONS TO BIDDERS

CITY REPRESENTATIVE FOR QUESTIONS

Any questions concerning this RFP (other than those posed orally during the project site tours mentioned below at page 5) must be submitted via fax or e-mail to the following City representative:

Name: Rocky Wallace, Public Works Director
Public Works Department
Fax: (509) 698-7338
E-Mail: rocky.wallace@selahwa.gov

Questions may not be submitted by telephone or regular mail.

All questions must include: (a) the contractor's name and fax number or e-mail address; and (b) identification of the specific section of the RFP to which the question pertains.

Questions and corresponding responses will be shared with all bidders via fax and/or e-mail. All questions shall be received at least 48 hours prior to bid submission deadline. Questions submitted after such deadline will not be addressed.

SUBMISSION OF BIDS

In order to qualify for the work on this project, bidders must submit all information requested on the Bid Forms set forth at pages 19 and 20 of this package.

The submission deadline is 9:00 a.m., Wednesday, April 13, 2022. Bids must be submitted to the Clerk/Treasurer at 115 W. Naches Avenue, Selah, WA 98942. Shortly after the deadline expires, all bids will be opened and read aloud in a single session at the Public Works Department, 222 S. Rushmore Road, Selah, WA 98942.

All bids must remain in effect for at least 30 days from submittal. The City has the sole discretion to: (a) reject any and all bids, and (b) negotiate the modification of any and all bids with any bidder in whatever manner it deems in its best interests. There is no guarantee, either expressed or implied, that award of a contract will be made to any firm.

CITY MAY REQUEST ADDITIONAL INFORMATION

The City may request additional information, samples or presentations in support of bids. Additionally, the City may perform an interview with contractors under consideration to clarify any information provided, or to gather more evidence of managerial, financial and technical abilities.

INSTRUCTIONS TO BIDDERS

PROJECT SITE TOURS

Before submitting a bid, each bidder shall have the opportunity to thoroughly examine the project and any site conditions that could in any way may affect the work proposed. Failure to examine the project or site conditions will not relieve the successful bidder from any obligation or necessity of furnishing materials or performing labor necessary to satisfactorily complete the work.

Site tours will occur at 9:00 a.m. and 1:00 p.m., April 8, 2022 at the location of Wood Field at Carlon Park, 300 E. Goodlander Road, Selah, WA 98942. All bidders are invited to tour the property at that time. Each bidder will be allowed to ask questions and will be provided with property information. Inquiries for specific information will not be entertained prior to the aforementioned tours.

GENERAL CONDITIONS



PART 2 – GENERAL CONDITIONS

SCOPE OF WORK

The successful bidder must acknowledge and agree to fulfill all requirements, specifications and stipulations set forth in this RFP, including those within “Part 1: Instructions to Bidders”.

Each bid must include two separate schedules: Schedule A and Schedule B. The schedules and their differences are described in “Part 3 – Technical Specifications”.

Each bidder shall be responsible for researching the existing conditions and matters that affect the cost or performance of the services.

The successful bidder shall furnish all labor, equipment, tools, services, skills, etc., required to construct the Wood Field Athletic Fence at Carlon Park. Construction includes digging and pouring all concrete footings, construction of all chain-link fencing, construction of a chain-link swing gate, and maintaining the construction area in a safe and clean condition satisfactory to the Owner.

The intent is to construct all items to a standard deemed satisfactory to the Owner. The successful bidder shall ensure that the finished project meets the quality and standards required of the Owner. Any discrepancies in the understanding of this clause shall be resolved in a manner as determined by Owner.

DURATION OF CONTRACT

The term of the written contract to be entered into between the parties shall be fifteen (15) working days. The anticipated start date is May 9, 2022 and the anticipated end of actual work is on or before May 27, 2022.

RESTRICTIONS ON SUBCONTRACTING

All services and work shall be performed by the successful bidder. No services or work may be subcontracted unless the Owner provides written approval. Any approved subcontracting shall not relieve the successful bidder from direct and full responsibility and liability for the project.

GENERAL CONDITIONS

GENERAL QUALIFICATIONS

By submitting a bid, the bidder certifies it meets the following general qualifications:

1. It has constructed at least one athletic field fence within the immediately preceding seven years, or within the immediately preceding seven years it has constructed at least one chain-link fence of similar sizing and scale to this project.
2. It has access to all necessary equipment, and also has organizational capacity and technical competence necessary to do the work properly and expeditiously.
3. It has a documented safety program with a history of satisfactory past performance.
4. It has a record of satisfactorily completing past projects. Criteria which will be considered in determining satisfactory completion of past projects will include:
 - A. Completion of the work in accordance with contract documents and specifications.
 - B. Execution of the work expeditiously and according to established schedules.

INDEMNIFICATION

The successful bidder shall indemnify, hold harmless and defend (at the bidder's immediate and continuing expense, with an attorney chosen by the Owner) the Owner, its officers, officials, employees, agents, volunteers and insurers from, on and against any and all claims, injuries, damages, losses or suits including attorney fees, arising out of or in connection with the performance of this project, except for injuries and damages caused by the sole negligence of the Owner.

However, should a court of competent jurisdiction determine that this Agreement is subject to RCW 4.24.115, then, in the event of liability for damages arising out of bodily injury to persons or damages to property caused by or resulting from the concurrent negligence of the successful bidder and the Owner, the successful bidder's liability hereunder shall be only to the extent of its own negligence. It is further specifically and expressly understood that the indemnification provided herein constitutes the successful bidder's waiver of immunity under Industrial Insurance, Title 51 RCW, solely for the purposes of this indemnification. This waiver has been mutually negotiated by the parties. The provisions of this section shall survive the expiration or termination of the written contract.

GENERAL CONDITIONS

INSURANCE

In General

The successful bidder shall procure and maintain at its own expense all insurance policies specified in this RFP, without interruption from commencement of the work to and through a date that is thirty (30) calendar days after physical completion of the work or termination of the written contract, whichever comes later.

No Limitation

The successful bidder's scope of insurance, and the policies' conditions and limits, shall not limit the liability of the successful bidder to Owner nor limit the Owner's recourse to any remedy available at law or in equity.

Required Insurance Policies

The following insurance policies must be obtained:

1. Automobile Liability Insurance that covers all owned, non-owned, hired and leased vehicles, and which is at least as broad as Insurance Services Office (ISO) form CA 00 01.
2. Commercial General Liability Insurance that is at least as broad as ISO Occurrence Form CG 00 01, and which covers liability arising from premises, operations, independent contractors, products-completed operations, stop gap liability, personal injury and advertising injury, and liability assumed under an insured contract. There shall be no exclusion for liability arising from explosion, collapse or underground property damage. The Owner shall be named as an additional insured on the policy with respect to the project, specifically via usage of an ISO Additional Insured Endorsement CG 20 10 10 01 and Additional Insured-Completed Operations Endorsement CG 20 37 10 01 (or substitute endorsements providing at least as broad coverage).
3. Excess or Umbrella Liability Insurance that is at least as broad in coverage as the other types of required insurance. The Owner shall be named as an additional insured on the policy with respect to the project. The Excess or Umbrella Insurance coverage will drop down when underlying policy aggregate limits are exhausted.
4. Workers' Compensation coverage as required by the Industrial Insurance laws of the State of Washington.

Minimum Coverage Amounts

The following coverage amounts must be obtained:

1. Automobile Liability Insurance with a minimum combined single limit for bodily injury and property damage of no less than \$1,000,000 per occurrence.

GENERAL CONDITIONS

2. Commercial General Liability Insurance with minimum limits of no less than \$1,000,000 per occurrence, \$2,000,000 general aggregate, and \$1,000,000 products-completed operations aggregate.
3. Excess or Umbrella Liability Insurance with minimum limits of not less than \$1,000,000 per occurrence and annual aggregate. The Excess or Umbrella Liability requirement and limits may be satisfied instead through the successful bidder's Commercial General Liability Insurance, Automobile Liability Insurance, or any combination thereof that achieves the overall required limits.

Owner Full Availability of Limits

If the successful bidder maintains higher insurance limits than the minimums shown above, the Owner shall be insured for the full available limits.

Primary Coverage

The successful bidder's Automobile Liability Insurance and Commercial General Liability Insurance policies are to contain, or be endorsed to contain, that they shall be primary insurance with respect to the Owner. Any insurance, self-insurance, or self-insured pool coverage maintained by the Owner shall be excess and shall not contribute with any policies maintained by the successful bidder.

Acceptability of Insurers

Insurance is to be placed with insurers with a current A.M. Best rating of not less than A: VII.

Verification of Coverage

The successful bidder shall furnish the Owner with original certificates and a copy of the amendatory endorsements, including but not necessarily limited to the additional insured endorsements, evidencing the insurance requirements of the successful bidder before commencement of the work. Upon request by the Owner, the successful bidder shall furnish certified copies of all required insurance policies, including endorsements, and evidence of all subcontractors' coverage.

Subcontractor Insurance

The successful bidder shall cause each and every approved subcontractor to provide insurance equivalent to that required by and from the successful bidder as specified in this RFP, and shall ensure that the Owner is an additional insured on each and every insurance policy required by and from each approved subcontract via an endorsement as least as broad as ISO CG 20 10 10 01 for ongoing operations and CG 20 37 10 01 for completed operations.

Notice of Insurance Cancellation

The successful bidder shall provide the Owner and all additional insureds with written notice of any actual or impending policy cancellation no later than two (2) business days after the successful bidder receives original notice from the insurer.

GENERAL CONDITIONS

Failure to Maintain Insurance

Failure on the part of the successful bidder to maintain required insurance shall constitute a material breach of contract, upon which the Owner may, after giving five (5) business days' notice to the successful bidder to correct the breach, immediately terminate the contract or, at its discretion, procure or renew such insurance and pay any and all premiums in connection therewith, with any sums so expended to be repaid to the Owner on demand, or at the sole discretion of the Owner, offset against funds due the successful bidder from the Owner.

GENERAL CONDITIONS

PAYMENTS

The successful bidder shall submit a completed Application Payment/Invoice form, following the Owner's acceptance of the project as complete. Additional payment terms and language may be negotiated during the contracting process.

TAXES

The successful bidder shall include in the value of its bid all sale taxes, consumer taxes, use taxes and other similar taxes that will apply to the work and project.

PROJECT CONDITIONS

In order for the successful bidder to properly perform and complete the work, the Owner must cooperate by providing access to the work areas and any staging, offloading or preparation areas that are required.

The successful bidder shall be familiar with the construction area and how the existing conditions will affect the work and schedule. The successful bidder shall visit and examine the site to become acquainted with the adjacent areas, means of approach to the site and conditions of actual job site. Failure to visit the site or failure to examine any and all contract documents will in no way relieve the successful bidder from necessity of furnishing any materials or equipment, or performing any work that may be required to complete the work in accordance with the RFP. Neglect of above requirements will not be accepted as reason for delay in the work or additional compensation.

The Owner shall provide full information regarding all requirements for the project not specifically contained herein, and shall establish and maintain an effective communications system with the successful throughout all phases of the project.

SEQUENCING AND SCHEDULING

The successful bidder shall coordinate with the Owner to arrange a schedule of services and shall continue coordination at intervals set forth by the Owner. Further, the Owner shall assure the successful bidder of the availability of off-loading and staging areas and other facilities required for the efficient performance of the work.

TECHNICAL SPECIFICATIONS

A large gray square containing the number 3 in a white, serif font, centered within the square.

PART 3 – TECHNICAL SPECIFICATIONS

This section details the specifications, including the products and execution, required for the project. Attached hereto and incorporated herein are Exhibits A, B, C, D, E, F, G, H, I and J. These Exhibits include the standard details and specifications that are required to be met during construction of the project. The project consists of 2 separate Schedules. Schedule A will consist of six-foot (6') and sixteen-foot (16') fencing. Schedule B will consist of eight-foot (8') and sixteen-foot (16') fencing. The fencing limits of both Schedules are identical. The only difference between the Schedules is the height of the outfield fencing, including associated footing and post sizes based on the differences.

SUBMITTALS

1. Submit shop drawings detailing chain-link fencing and gates. Shop drawings shall include details illustrating fence material, height, size of posts, rails, braces, footings, hardware, and accessories.
2. Submit manufacturer's recommended installation details of items specified by name of manufacturer.

PROTECTION

The successful bidder must provide protection for the site and all work, including all construction activities, from damage and vandalism until a Certificate of Substantial Completion (or its equivalent) is issued by the Owner. This includes all existing sports facilities, pedestrian walkways, parking areas, and paved areas located near the construction zone.

TECHNICAL SPECIFICATIONS

PRODUCTS

Chain-Link Fencing

- A. General: All chain-link fencing, including all posts, concrete post bases (footings), fabric, and hardware shall conform to the construction details described in Exhibits A, B, C, D, E, F, G, H, I and J.
- B. **Schedule A**
1. 6' High Fencing
 - a. Fabric: 9 gauge (2" mesh), KK Chain-link wire.
 - b. Top Rail: 1 5/8" OD Schedule 40 pipe. Top rail approximately 510' in length, joined with 1 5/8" pressed steel, 6" long pipe sleeve.
 - c. Line Post: 2 3/8" OD Schedule 40 pipe post. Line posts set on 10' center maximum spacing. Concrete footing 12" diameter, 36" depth.
 - d. Corner Post: 2 7/8" OD Schedule 40 pipe post. Concrete footing 12" diameter, 36" depth.
 - e. Gates: Framework of 1 7/8" Schedule 40 pipe. Gates braced and trussed as necessary. Same fabric as fence.
 - f. Gate Post: 4" OD Schedule 40 pipe post. Concrete footing 12" diameter, 36" depth.
 - g. Tension Wire: 9 gage, spring galvanized steel tension wire attached to bottom of fence fabric with 12 1/2 gage steel hog rings spaced 24" (+/-) on center.
 - h. Fittings: Regular brace band and galvanized carriage bolt, die cast aluminum rail end, regular pressed steel eye top, die cast aluminum cap, 3/16" x 3/4" tension bar, regular tension band and galvanized carriage bolt, tension wire to run length of fence.
 - i. Tie Wire: 10 1/2", 9 gage aluminum with hook tie wire and 6 1/2", 9 gage aluminum with hook tie wire spaced 15" (+/-) on center for line posts and 24" (+/-) on center for rails.
 - j. Post Footing: 4-sack ready mix commercial concrete.
 2. 16' High Fencing
 - a. Fabric: 9 gauge (2" mesh), KK Chain-link wire.
 - b. Top Rail: 1 5/8" OD Schedule 40 pipe. Top rail approximately 150' in length, joined with 1 5/8" pressed steel, 6" long pipe sleeve.
 - c. Line Post: 4" OD Schedule 40 pipe post. Line posts set on 10' center maximum spacing. Concrete footing 24" diameter, 48" depth.

TECHNICAL SPECIFICATIONS

- d. Corner Post: 4" OD Schedule 40 pipe post. Concrete footing 24" diameter, 48" depth.
- e. Bracing: 1 5/8" OD Schedule 40 pipe. Bracing approximately 150' in length, used for middle rail.
- f. Gate Post: 4" OD Schedule 40 pipe post. Concrete footing 24" diameter, 48" depth.
- g. Tension Wire: 9 gage, spring galvanized steel tension wire attached to bottom of fence fabric with 12 ½ gage steel hog rings spaced 24" (+/-) on center.
- h. Fittings: Regular brace band and galvanized carriage bolt, die cast aluminum rail end, regular pressed steel eye top, die cast aluminum cap, 3/16" x 3/4" tension bar, regular tension band and galvanized carriage bolt.
- i. Tie Wire: 10 ½", 9 gage aluminum with hook tie wire and 6 ½", 9 gage aluminum with hook tie wire spaced 15" (+/-) on center for line posts and 24" (+/-) on center for rails.
- j. Post Footing: 4-sack ready mix commercial concrete.

C. *Schedule B*

1. 8' High Fencing

- a. Fabric: 9 gauge (2" mesh), KK Chain-link wire.
- b. Top Rail: 1 5/8" OD Schedule 40 pipe. Top rail approximately 510' in length, joined with 1 5/8" pressed steel, 6" long pipe sleeve.
- c. Line Post: 2 3/8" OD Schedule 40 pipe post. Line posts set on 10' center maximum spacing. Concrete footing 12" diameter, 36" depth.
- d. Corner Post: 2 7/8" OD Schedule 40 pipe post. Concrete footing 12" diameter, 42" depth.
- e. Gates: Framework of 1 7/8" Schedule 40 pipe. Gates braced and trussed as necessary. Same fabric as fence.
- f. Gate Post: 4" OD Schedule 40 pipe post. Concrete footing 24" diameter, 48" depth.
- g. Tension Wire: 9 gage, spring galvanized steel tension wire attached to bottom of fence fabric with 12 ½ gage steel hog rings spaced 24" (+/-) on center.

TECHNICAL SPECIFICATIONS

- h. Fittings: Regular brace band and galvanized carriage bolt, die cast aluminum rail end, regular pressed steel eye top, die cast aluminum cap, 3/16" x 3/4" tension bar, regular tension band and galvanized carriage bolt, tension wire to run length of fence.
 - i. Tie Wire: 10 1/2", 9 gage aluminum with hook tie wire and 6 1/2", 9 gage aluminum with hook tie wire spaced 15" (+/-) on center for line posts and 24" (+/-) on center for rails.
 - j. Post Footing: 4-sack ready mix commercial concrete.
2. 16' High Fencing (Schedules A & B)
- a. Fabric: 9 gauge (2" mesh), KK Chain-link wire.
 - b. Top Rail: 1 5/8" OD Schedule 40 pipe. Top rail approximately 150' in length, joined with 1 5/8" pressed steel, 6" long pipe sleeve.
 - c. Line Post: 4" OD Schedule 40 pipe post. Line posts set on 10' center maximum spacing. Concrete footing 24" diameter, 48" depth.
 - d. Corner Post: 4" OD Schedule 40 pipe post. Concrete footing 24" diameter, 48" depth.
 - e. Bracing: 1 5/8" OD Schedule 40 pipe. Bracing approximately 150' in length, used for middle rail.
 - f. Gate Post: 4" OD Schedule 40 pipe post. Concrete footing 24" diameter, 48" depth.
 - g. Tension Wire: 9 gage, spring galvanized steel tension wire attached to bottom of fence fabric with 12 1/2 gage steel hog rings spaced 24" (+/-) on center.
 - h. Fittings: Regular brace band and galvanized carriage bolt, die cast aluminum rail end, regular pressed steel eye top, die cast aluminum cap, 3/16" x 3/4" tension bar, regular tension band and galvanized carriage bolt.
 - i. Tie Wire: 10 1/2", 9 gage aluminum with hook tie wire and 6 1/2", 9 gage aluminum with hook tie wire spaced 15" (+/-) on center for line posts and 24" (+/-) on center for rails.
 - i. Post Footing: 4-sack ready mix commercial concrete.
- D. Any exposed steel shall be painted with "Galv-Weld" high-zinc content paint.

TECHNICAL SPECIFICATIONS

EXECUTION

Chain-Link Fence and Gates

1. Install all items with concrete footings (Chain-Link Fencing & Gate Posts) per details shown in Exhibits A, B, C, D, E, F, G, H, I and J.
2. Field stake layout of all fencing items for review by the Owner prior to installation. Verify minimum required clear distances between gate posts.
3. Excavate field surfacing materials for installation of concrete footings for fencing posts. All posts shall be plumb and tops cut off level. Backfill all excavations with field surfacing materials to match surrounding field conditions. Compact surfacing materials above all footings.

MANDATORY CONTRACT TERMS

4

PART 4 – MANDATORY CONTRACT TERMS

WRITTEN CONTRACT

A written contract will be entered into between the successful bidder and the Owner. The terms set forth in this section are mandatory terms that must be included in the written contract.

DISPUTE RESOLUTION

In the event of a dispute between the parties or regarding any aspect of the work, the project or the contract, the parties agree that prior to filing court litigation, they will first seek to mediate the dispute in an attempt to negotiate a resolution. If mediation fails to resolve the dispute, the parties agree that, still prior to filing court litigation, they will submit the dispute to non-binding arbitration as a second effort to resolve the dispute and that such arbitration shall occur through the Judicial Arbitration and Mediation Services of Washington or another arbitration service.

COSTS AND ATTORNEY FEES

In the event of any dispute resolution process or court litigation, each party shall be solely responsible for its own costs and attorney fees.

TERMINATION OF CONTRACT

Owner is authorized to terminate the contract, effective immediately upon notice, upon the occurrence of any of the following events:

1. The failure of successful bidder to maintain in full force and effect all forms of insurance required.
2. The failure of successful bidder to maintain in full force and effect any permit or business license required.
3. A major breach of service or safety violation committed by the successful bidder or its personnel, after notice of continued violation.

RESTRICTION ON ASSIGNMENT

Neither the Owner nor the Contractor shall assign, sublet or transfer any interest in this Agreement without the written consent of the other.

MANDATORY CONTRACT TERMS

BINDING ON HEIRS

The parties, respectively, bind themselves, their owners, agents, partners, heirs, successors, assigns and legal representatives to all terms, provisions, conditions, obligations and covenants of the written contract.

INCORPORATION OF RFP

The entirety of the Request for Proposals package (RFP), including its Exhibits, is incorporated within and forms part of the written contract between the parties.

BID FORMS



PART 5 – BID FORMS

Each bid must be submitted on the following Bid Forms. No bid will be evaluated unless all minimum required information is submitted in a single submission. Additional information, beyond the minimum required information, may be submitted as part of a bid.

BIDDER'S INFORMATION

Contractor's Name

Contractor's Physical Address

Contractor's Telephone Number

Contractor's E-Mail Address

Bid Submission Date

Year company founded: _____

Years in fencing construction: _____

Last calendar year with a project of similar scope: _____

Is your business licensed? YES NO

Washington State Business License (UBI) #: _____

BID FORMS

City of Selah Business License #: _____

Is your business bonded? YES NO

Have you ever operated a construction business under another name? YES NO

If YES, list previous name: _____

Have you ever defaulted on a project? YES NO

If YES, please explain: _____

BID FORMS

PRIOR RELEVANT PROJECTS

Each bidder must identify at least two (2) prior relevant projects and must supply at least one (1) photograph that depicts each of those projects.

Customer's Name: _____

Contact Name: _____

Telephone Number: _____

Fax Number: _____

E-Mail: _____

Description of Project: _____

Site of Project: _____

Completion Date: _____

Total Value of Work: _____

Customer's Name: _____

Contact Name: _____

Telephone Number: _____

Fax Number: _____

E-Mail: _____

Site of Project: _____

Description of Project: _____

Completion Date: _____

Total Value of Work: _____

BID FORMS

BID AMOUNT FOR SCHEDULE A WORK

In response to the RFP, the above-specified bidder hereby proposes to furnish all materials, labor, equipment and services necessary to perform the work over an anticipated duration of three (3) calendar weeks for the aggregate total cost (inclusive of all tax and subject to prevailing wage) of:

\$_____.

BID AMOUNT FOR SCHEDULE B WORK

In response to the RFP, the above-specified bidder hereby proposes to furnish all materials, labor, equipment and services necessary to perform the work over an anticipated duration of three (3) calendar weeks for the aggregate total cost (inclusive of all tax and subject to prevailing wage) of:

\$_____.

BID FORMS

CERTIFICATION BY BIDDER'S AGENT

By signing below, I certify that I am a duly-authorized representative of the bidder and that I have personal knowledge of the following:

That the bidder has examined the RFP and specifications, carefully prepared the Bid Forms, and has checked the same in detail before submitting them; and that the bidder and its agents, officers and employees have not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this bid.

That all of said work will be performed at the bidder's own proper cost and expense; and that the bidder will furnish all necessary materials, labor, tools, machinery, apparatus and other means of construction in the manner provided in the applicable specifications, and at the time that will be stated in the written contract.

That bidder

That this bid is submitted in good faith and that no information has been misrepresented in any degree.

Contractor's Name

My Printed Name

My Signature


My Title/Position

PROOF OF INSURANCE

Together with your bid, submit proof of all required insurance specified on pages 8 through 10 of this RFP package.

EXHIBITS


EXHIBIT A: TYPICAL LINE POST SETTING



TYPICAL LINE POST SETTING


NOT TO SCALE

EXHIBIT B: 6 FT. CHAIN-LINK FENCE




6 FT. CHAIN LINK FENCE
NOT TO SCALE

EXHIBIT C: 8 FT. CHAIN-LINK FENCE



8 FT. CHAIN LINK FENCE
NOT TO SCALE

EXHIBIT D: 16 FT. CHAIN-LINK FENCE




16 FT. CHAIN LINK FENCE
NOT TO SCALE

EXHIBIT F:

8 FT. CORNER POST ELEVATION

TYPICAL NOTES:

1. THE 8' GATE POST SHALL CONFORM TO THE 16' CORNER/GATE POSTS ELEVATION DETAIL
2. CONCRETE FOOTINGS FOR THE 8' CORNER POSTS SHALL BE 12" ROUND x 42" DEEP.



8' CORNER POST ELEVATION


NOT TO SCALE

EXHIBIT G:

16 FT. CORNER/GATE POST ELEVATION

TYPICAL NOTES:


1. THE 8' GATE POST SHALL ALSO CONFORM TO THIS DETAIL .
2. THE CONCRETE FOOTINGS FOR THE 8' GATE POST SHALL BE 24" ROUND x 48" DEEP.
3. THE CONCRETE FOOTINGS FOR THE 16' CORNER/GATE POST SHALL BE 36" ROUND x 60" DEEP.



16' CORNER/GATE POST ELEVATION

NOT TO SCALE

EXHIBIT H: SCHEDULE A MAINTENANCE GATE ELEVATION



MAINTENANCE GATE AT 6' HT.

MAINTENANCE GATE ELEVATION


NOT TO SCALE

EXHIBIT J:

TENSION BAND DETAIL

NOTE: FENCE FABRIC SHALL BE IN A STRAIGHT PLANE ON THE FIELD SIDE OF THE FENCE.

FIELD SIDE



TENSION BAND DETAIL

NOT TO SCALE