

Selah Sidewalk Assessment

Agency	Road Classification	Street	From	To	Position	% of SW over 2%		Material	Condition	Notes
						Cross Slope	Width			
Selah	Principal Arterial	S 1st St	W Naches Ave	W Yakima Ave	West Side	75%, DW	6 Ft	Concrete	Good	
Selah	Principal Arterial	S 1st St	E Naches Ave	E 1st Ave	East Side	50%, DW	6 Ft / 5 Ft	Concrete	Fair	Depressed Sidewalk; Worn
Selah	Principal Arterial	S 1st St	W Yakima Ave	W Park Ave	West Side	50%	6 Ft	Concrete	Good	
Selah	Principal Arterial	S 1st St	E 1st Ave	E 2nd Ave	East Side	75%, DW	6 Ft / 5 Ft	Concrete	Good	Worn;
Selah	Principal Arterial	S 1st St	E 2nd Ave	Park Ave	East Side	25%, DW	5 Ft	Concrete	Good	Worn;
Selah	Principal Arterial	S 1st St	W Park Ave	W Selah Ave	West Side	25%	6 Ft	Concrete	Good	
Selah	Principal Arterial	S 1st St	E 3rd Ave	E 4th Ave	East Side	50%, DW	5 Ft	Conc/Asph	Fair	Concrete is okay; Asphalt section is worn
Selah	Principal Arterial	S 1st St	E 4th Ave	Jim Clement Way	East Side	75%, DW	6 Ft / 5 Ft	Concrete	Fair	Cracking;
Selah	Principal Arterial	S 1st St	W Selah Ave	Valleyview Ave	West Side	50%	6 Ft	Concrete	Good	
Selah	Principal Arterial	S 1st St	Valleyview Ave	Riverview Ave	West Side	25%	6 Ft	Concrete	Good	
Selah	Principal Arterial	S 1st St	Jim Clements Wy	Riverview Ave	East Side	0%	6 Ft	Concrete	Good	
Selah	Principal Arterial	S 1st St	Riverview Ave	Pleasant Ave	West Side	25%	6 Ft	Concrete	Good	Cracking;
Selah	Principal Arterial	S 1st St	Riverview Ave	E 10th Ave	East Side	75%	5 Ft	Concrete	Poor	Bad Cracks; Very Worn;
Selah	Principal Arterial	S 1st St	Pleasant Ave	Southern Ave	West Side	50%	6 Ft / 8 Ft	Conc/Asph	Fair	Concrete is okay; Asphalt section is worn
Selah	Principal Arterial	S 1st St	E 10th Ave	E 11th Ave	East Side	50%	5 Ft	Concrete	Fair	Cracking; Worn
Selah	Principal Arterial	S 1st St	E 11th Ave	End of Sidewalk	East Side	25%	5 Ft	Concrete	Good	
Selah	Principal Arterial	Jim Clements Way	E Naches Ave	E 1st Ave	West Side	0%	6 Ft	Concrete	Good	
Selah	Principal Arterial	Jim Clements Way	E Naches Ave	E 5th Ave	East Side	50%	6 Ft	Conc/Asph	Good	
Selah	Principal Arterial	Jim Clements Way	E 1st Ave	E 2nd Ave	West Side	0%	6 Ft	Concrete	Good	
Selah	Principal Arterial	Jim Clements Way	E 2nd Ave	S 1st St	West Side	10%	6 Ft	Concrete	Good	
Selah	Principal Arterial	Jim Clements Way	E 5th Ave	S 1st St	East Side	25%	6 Ft	Concrete	Good	
Selah	Minor Arterial	Speyers Rd	End of Sidewalk	N 12th St	North Side	50%	6 Ft	Concrete	Good	
Selah	Minor Arterial	Speyers Rd	N 12th St	N 9th St	North Side	50%	6 Ft	Concrete	Good	
Selah	Minor Arterial	Speyers Rd	N 9th St	Sage Ave	North Side	25%	6 Ft / 7 Ft	Concrete	Good	Heaving;
Selah	Minor Arterial	Speyers Rd	Sage Ave	Sage Ave	North Side	50%	7 Ft	Concrete	Good	
Selah	Minor Arterial	Speyers Rd	Sage Ave	YVS Entrance	North Side	25%	6 Ft	Concrete	Good	
Selah	Minor Arterial	Speyers Rd	YVS Entrance	N 5th St	North Side	50%	6 Ft	Concrete	Good	
Selah	Minor Arterial	Speyers Rd	N 5th St	N 4th St	North Side	25%	5 Ft	Concrete	Fair	Depressed Sidewalk; Worn
Selah	Minor Arterial	Speyers Rd	N 5th St	W Fremont Ave	South Side	75%	5 Ft	Concrete	Good	
Selah	Minor Arterial	N 1st St	Goodlander Rd	Palmer Dr	West Side	0%, DW	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	N 1st St	Goodlander Rd	Palmer Dr	East Side	0%	5 Ft	Concrete	Good	
Selah	Minor Arterial	N 1st St	Palmer Dr	Merinda Dr	West Side	100%, DW	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	N 1st St	Palmer Dr	Wernex Lp	East Side	25%	5 Ft	Concrete	Good	
Selah	Minor Arterial	N 1st St	Wernex Lp	Wernex Lp	East Side	50%, DW	5 Ft	Concrete	Good	
Selah	Minor Arterial	N 1st St	Merinda Dr	Hillview Ave	West Side	75%, DW	5 Ft	Concrete	Good	
Selah	Minor Arterial	N 1st St	Home Ave	W Bartlett Ave	West Side	0%,	5 Ft / 8 Ft	Concrete	Good	
Selah	Minor Arterial	N 1st St	W Bartlett Ave	Hillview Ave	West Side	0	5 Ft / 8 Ft	Concrete	Good	
Selah	Minor Arterial	N 1st St	Wernex Lp	School Entrance	East Side	50%	5 Ft	Concrete	Good	Depressed Sidewalk;
Selah	Minor Arterial	N 1st St	School Entrance	E Home Ave	East Side	50%	5 Ft / 8 Ft	Concrete	Good	Depressed Sidewalk;
Selah	Minor Arterial	N 1st St	E Home Ave	E Bartlett Ave	East Side	50%	5 Ft	Concrete	Good	Depressed Sidewalk;
Selah	Minor Arterial	N 1st St	W Bartlett Ave	W Fremont Ave	West Side	50%, DW	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	N 1st St	E Bartlett Ave	E Fremont Ave	East Side	0%, DW	5 Ft	Concrete	Good	
Selah	Minor Arterial	N 1st St	W Fremont Ave	W Orchard Ave	West Side	100%, DW	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	N 1st St	E Fremont Ave	E Orchard Ave	East Side	0%	5 Ft	Concrete	Good	

Selah Sidewalk Assessment

Agency	Road Classification	Street	From	To	Position	% of SW over 2%		Material	Condition	Notes
						Cross Slope	Width			
Selah	Minor Arterial	N 1st St	W Orchard Ave	W Naches Ave	West Side	50%	5 Ft	Conc/Asph	Fair	Depressed Sidewalk; Worn
Selah	Minor Arterial	N 1st St	E Orchard Ave	E Naches Ave	East Side	100%, DW	5 Ft	Concrete	Fair	Cracking; Worn
Selah	Minor Arterial	Jim Clements Way	Jamie Dr	E Goodlander Rd	West Side	100%	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	Jim Clements Way	Jamie Dr	E Goodlander Rd	East Side	100%	7 Ft	Concrete	Good	
Selah	Minor Arterial	Jim Clements Way	E Goodlander Rd	Maru Ave	West Side	50% , DW	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	Jim Clements Way	Maru Ave	E Home Ave	West Side	25%	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	Jim Clements Way	E Goodlander Rd	Parking Lot	East Side	100%	5 Ft	Concrete	Good	
Selah	Minor Arterial	Jim Clements Way	Parking Lot	N Park Dr	East Side	25% , DW	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	Jim Clements Way	N Park Dr	Larson Dr	East Side	25% , DW	5 Ft / 7 Ft	Concrete	Good	Cracking;
Selah	Minor Arterial	Jim Clements Way	Larson Dr	E Home Ave	East Side	50% , DW	7 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	Jim Clements Way	E Home Ave	E Bartlett Ave	West Side	100% , DW	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	Jim Clements Way	E Home Ave	E Bartlett Ave	East Side	25% , DW	6 Ft	Concrete	Good	
Selah	Minor Arterial	Jim Clements Way	E Bartlett Ave	E Fremont Ave	West Side	100% , DW	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	Jim Clements Way	E Bartlett Ave	E Fremont Ave	East Side	75%	6 Ft / 8 Ft	Concrete	Good	
Selah	Minor Arterial	Jim Clements Way	E Fremont Ave	E Orchard Ave	West Side	50%	6 Ft	Concrete	Good	
Selah	Minor Arterial	Jim Clements Way	E Orchard Ave	E Naches Ave	West Side	0%	6 Ft	Concrete	Good	
Selah	Minor Arterial	Jim Clements Way	E Fremont Ave	E Naches Ave	East Side	25%	6 Ft	Concrete	Good	
Selah	Minor Arterial	W Fremont Ave	N 16th St	School Entrance	North Side	50%	5 Ft	Concrete	Good	
Selah	Minor Arterial	W Fremont Ave	N 16th St	N 14th St	South Side	75%, DW	5 Ft	Concrete	Fair	Worn;
Selah	Minor Arterial	W Fremont Ave	School Entrance	N 13th St	North Side	100%	5 Ft	Concrete	Good	
Selah	Minor Arterial	W Fremont Ave	N 14th St	N 13th St	South Side	0%	8 Ft	Concrete	Good	
Selah	Minor Arterial	W Fremont Ave	N 13th St	N 11th St	North Side	75%	5 Ft	Concrete	Good	Depressed Sidewalk;
Selah	Minor Arterial	W Fremont Ave	N 13th St	N 12th St	South Side	100%	5 Ft	Concrete	Good	
Selah	Minor Arterial	W Fremont Ave	N 12th St	N 10th St	South Side	75%	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	W Fremont Ave	N 11th St	N 10th St	North Side	100%	5 Ft	Concrete	Good	
Selah	Minor Arterial	W Fremont Ave	N 10th St	Speyers Rd	North Side	50%	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	W Fremont Ave	N 10th St	N 8th St	South Side	50%	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	W Fremont Ave	N 8th St	N 5th St	South Side	25%	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	W Fremont Ave	Speyers Rd	N 4th St	North Side	50%	5 Ft	Concrete	Good	
Selah	Minor Arterial	W Fremont Ave	N 5th St	N 4th St	South Side	50%	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	W Fremont Ave	N 4th St	N 1st St	North Side	0%	4 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	W Fremont Ave	N 4th St	N 3rd St	South Side	50%	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	W Fremont Ave	N 3rd St	N 1st St	South Side	100%, DW	5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	E Fremont Ave	N 1st St	Jim Clements Way	North Side	0%	5 Ft	Concrete	Good	
Selah	Minor Arterial	E Fremont Ave	N 1st St	Jim Clements Way	South Side	100%	5 Ft	Concrete	Good	Cracking;
Selah	Minor Arterial	Crusher Canyon Rd	End of Sidewalk	S 10th St	North Side	50%	8 Ft	Concrete	Good	Cracking;
Selah	Minor Arterial	Crusher Canyon Rd	End of Sidewalk	S 12th St	South Side	50%	8 Ft	Concrete	Good	
Selah	Minor Arterial	Crusher Canyon Rd	S 12th St	S 10th St	South Side	50%	8 Ft	Concrete	Good	
Selah	Minor Arterial	Crusher Canyon Rd	S 10th St	Hillcrest Dr	North Side	75%	8 Ft	Concrete	Good	Cracking;
Selah	Minor Arterial	Crusher Canyon Rd	S 10th St	Anchor Lp	South Side	50%	8 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	Crusher Canyon Rd	Anchor Lp	Hillcrest Dr	South Side	75%	8 Ft	Concrete	Good	
Selah	Minor Arterial	W Naches Ave	Hillcrest Dr	N 4th St	North Side	50%	8 Ft	Concrete	Good	
Selah	Minor Arterial	W Naches Ave	Hillcrest Dr	S 3rd St	South Side	75%	8 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	W Naches Ave	N 4th St	N 3rd St	North Side	25%	5 Ft	Concrete	Fair	Heaving;

Selah Sidewalk Assessment

Agency	Road Classification	Street	From	To	Position	% of SW over 2%		Material	Condition	Notes
						Cross Slope	Width			
Selah	Minor Arterial	W Naches Ave	N 3rd St	S 2nd St	North Side	75%	5 Ft	Concrete	Fair	Worn;
Selah	Minor Arterial	W Naches Ave	S 2nd St	N 1st St	North Side	0%	5 Ft / 10 Ft	Concrete	Good	
Selah	Minor Arterial	W Naches Ave	S 3rd St	S 2nd St	South Side	0%	6 Ft	Concrete	Good	
Selah	Minor Arterial	W Naches Ave	S 2nd St	S 1st St	South Side	0%	9 Ft	Concrete	Good	
Selah	Minor Arterial	E Naches Ave	N 1st St	Jim Clements Way	North Side	0%	13.5 Ft	Concrete	Good	Worn;
Selah	Minor Arterial	E Naches Ave	S 1st St	Jim Clements Way	South Side	0%	4 Ft / 12 Ft	Concrete	Good	Worn;
Selah	Major Collector	W Goodlander Rd	Lander Rd	End of Sidewalk	North Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	W Goodlander Rd	End of Sidewalk	Selah Vista Way	South Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	W Goodlander Rd	Selah Vista Way	Braeburn Ct	South Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	W Goodlander Rd	End of Sidewalk	Crestview Drive	North Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	W Goodlander Rd	Crestview Drive	End of Sidewalk	North Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	W Goodlander Rd	Braeburn Ct	Terry Ln	South Side	100%	5 Ft	Concrete	Good	
Selah	Major Collector	W Goodlander Rd	Terry Ln	N 4th St	South Side	25%	5 Ft	Concrete	Good	Missing curb & gutter
Selah	Major Collector	W Goodlander Rd	N 4th St	N 2nd St	South Side	0%	5 Ft	Concrete	Good	Worn; Missing curb & gutter
Selah	Major Collector	W Goodlander Rd	N 2nd St	N 1st St	South Side	100%	5 Ft	Concrete	Good	Worn; Missing curb & gutter
Selah	Major Collector	E Goodlander Rd	N 1st St	School Entrance	South Side	25%	6 Ft	Concrete	Good	
Selah	Major Collector	E Goodlander Rd	End of Sidewalk	Lancaster Rd	North Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	E Goodlander Rd	School Entrance	Lancaster Rd	South Side	0%	10 Ft	Concrete	Good	
Selah	Major Collector	E Goodlander Rd	Lancaster Rd	Jim Clements Way	North Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	E Goodlander Rd	Lancaster Rd	Jim Clements Way	South Side	0%	10 Ft	Concrete	Good	
Selah	Major Collector	N 3rd St	W Fremont Ave	W Naches Ave	West Side	100%, DW	5 Ft	Concrete	Good	
Selah	Major Collector	N 3rd St	W Fremont Ave	W Orchard Ave	East Side	100%, DW	5 Ft	Concrete	Good	Worn;
Selah	Major Collector	N 3rd St	W Orchard Ave	W Naches Ave	East Side	100%, DW	5 Ft	Concrete	Good	Worn;
Selah	Major Collector	S 3rd St	W Naches Ave	W Park Ave	West Side	25%	5 Ft	Concrete	Good	
Selah	Major Collector	S 3rd St	W Naches Ave	W Yakima Ave	East Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	S 3rd St	W Yakima Ave	W Park Ave	East Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	S 3rd St	W Park Ave	W Selah Ave	West Side	0%	8 Ft	Concrete	Good	
Selah	Major Collector	S 3rd St	W Selah Ave	Valleyview Ave	West Side	100%, DW	4 Ft	Concrete	Good	
Selah	Major Collector	S 3rd St	Valleyview Ave	Riverview Ave	West Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	S 3rd St	Riverview Ave	Pleasant Ave	West Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	S 3rd St	Pleasant Ave	Southern Ave	West Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	Southern Ave	End of Sidewalk	S 7th St	South Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	Southern Ave	S 7th St	End of Sidewalk	South Side	50%	5 Ft	Concrete	Fair	Heaving;
Selah	Major Collector	Southern Ave	End of Sidewalk	S 5th St	North Side	100%	5 Ft	Concrete	Good	
Selah	Major Collector	Southern Ave	End of Sidewalk	S 4th St	South Side	100%	5 Ft	Concrete	Fair	Heaving;
Selah	Major Collector	E Naches Ave	Jim Clements Way	Railroad Ave	South Side	75%	8 Ft	Conc/Asph	Good	
Selah	Major Collector	E Naches Ave	Jim Clements Way	End of Sidewalk	North Side	25%	5 Ft	Concrete	Good	
Selah	Major Collector	E Naches Ave	End of Sidewalk	End of Sidewalk	North Side	25%	5 Ft	Concrete	Good	
Selah	Major Collector	E Naches Ave	Railroad Ave	End of Sidewalk	South Side	75%	5 Ft	Concrete	Fair	
Selah	Major Collector	W Park Ave	S 3rd St	S 1st St	South Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	Valleyview Ave	S 3rd St	S 1st St	North Side	0%	5 Ft	Concrete	Good	
Selah	Major Collector	Southern Ave	S 3rd St	S 1st St	North Side	0%	6 Ft	Concrete	Good	
Selah	Local Access	W Goodlander Rd	End of Sidewalk	W Goodlander Rd	N/E Side	0%	6 Ft	Concrete	Good	
Selah	Local Access	W Goodlander Rd	W Goodlander Rd	N 13th St	N/E Side	0%	6 Ft / 5 Ft	Concrete	Good	

Selah Sidewalk Assessment

Agency	Road Classification	Street	From	To	Position	% of SW over 2%		Material	Condition	Notes
						Cross Slope	Width			
Selah	Local Access	W Goodlander Rd	End of Sidewalk	Valhalla Lp	S/W Side	0%	6 Ft	Concrete	Good	
Selah	Local Access	Valhalla Lp	End of Sidewalk	W Goodlander Rd	N/E Side	0%	6 Ft	Concrete	Good	
Selah	Local Access	13th St	End of Sidewalk	W Goodlander Rd	N/E Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	W Goodlander Rd	13th St	Lander Rd	N/E Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	Selah Vista Wy	W Goodlander Rd	Verde Ln	West Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	Selah Vista Wy	W Goodlander Rd	Vista Del Sol	East Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	Vista Del Sol	Selah Vista Wy	Roundabout	N/E Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	Vista Del Sol	End of Sidewalk	Roundabout	S/W Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	Crestview Dr	W Goodlander Rd	Lyle Ave	East Side	100%	4 Ft	Concrete	Good	Worn;
Selah	Local Access	Crestview Ct	Crestview Dr	Roundabout	East Side	75%	4 Ft	Concrete	Good	
Selah	Local Access	Crestview Dr	Lyle Ave	End of Sidewalk	East Side	75%	4 Ft	Concrete	Good	Curb Damage;
Selah	Local Access	Lyle Ave	Crestview Dr	Terry Ln	South Side	50%	4 Ft	Concrete	Good	
Selah	Local Access	Terry Ln	Lyle Ave	Roundabout	West Side	75%	4 Ft	Concrete	Good	
Selah	Local Access	Terry Ln	Lyle Ave	End of Sidewalk	West Side	75%	4 Ft	Concrete	Good	
Selah	Local Access	Lyle Loop Rd	Herlou Dr	Herlou Dr	N.W.S Sides	50%	5 Ft	Concrete	Good	2 Worn Panels;
Selah	Local Access	Braeburn Ct	W Goodlander Rd	Roundabout	East Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	Terry Ln	W Goodlander Rd	Apple Wy	East Side	50%	4 Ft	Concrete	Good	
Selah	Local Access	Apple Wy	Terry Ln	Roundabout	S/E Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	Apple Wy	Terry Ln	N 4th St	North Side	100%	4 Ft	Concrete	Good	
Selah	Local Access	Terry Ln	Apple Wy	End of Sidewalk	East Side	100%	4 Ft	Concrete	Good	
Selah	Local Access	N 4th St	Roundabout	End of Sidewalk	East Side	75%	4 Ft	Concrete	Good	Worn
Selah	Local Access	Palmer Dr	N 4th St	N 2nd St	North Side	100%, DW	3 Ft	Concrete	Fair	Depressed Sidewalk; Worn
Selah	Local Access	Palmer Dr	N 2nd St	N 1st St	North Side	100%, DW	3 Ft	Concrete	Fair	Depressed Sidewalk; Worn
Selah	Local Access	Dixie Dr	Roundabout	Rinda Ct	North Side	100% , DW	4 Ft	Concrete	Good	
Selah	Local Access	Dixie Dr	Roundabout	Rinda Ct	South Side	50% , DW	4 Ft	Concrete	Good	
Selah	Local Access	Rinda Ct	Dixie Dr	Merinda Dr	West Side	75%	4 Ft	Concrete	Good	
Selah	Local Access	Merinda Dr	Rinda Ct	Stacy Ct	South Side	50%	4 Ft	Concrete	Good	
Selah	Local Access	Merinda Dr	Stacy Ct	N 1st St	South Side	50% , DW	4 Ft	Concrete	Good	Worn
Selah	Local Access	Hillview Ave	N 2nd St	N 1st St	South Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	Wernex Lp	N 1st St	School Parking	N/E Side	25%	5 Ft	Concrete	Good	
Selah	Local Access	Wernex Lp	School Parking	N 1st St	S/E Side	0%	6 Ft	Concrete	Good	
Selah	Local Access	N 9th St	Speyers Rd	White Bluffs Pl	East Side	0%	4 Ft	Concrete	Good	
Selah	Local Access	White Bluffs Pl	N 9th St	Roundabout	South Side	0%	4 Ft	Concrete	Good	
Selah	Local Access	N 14th St	Speyers Rd	W Cherry Ave	West Side	50%, DW	4 Ft	Concrete	Good	Worn;
Selah	Local Access	N 15th St	End of Sidewalk	W Cherry Ave	West Side	25%	5 Ft	Concrete	Good	
Selah	Local Access	W Cherry Ave	Kristine Pl	N 14th St	North Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	W Cherry Ave	N 15th St	Kristine Pl	North Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	Kristine Pl	End of Sidewalk	W Cherry Ave	West Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	Kristine Pl	W Cherry Ave	Roundabout	West Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	N 13th St	Speyers Rd	W Cherry Ave	West Side	75%, DW	4 Ft	Concrete	Good	Worn;
Selah	Local Access	Senter Pl	W Cherry Ave	Roundabout	West Side	100%, DW	4 Ft	Concrete	Fair	Depressed Sidewalk; Worn
Selah	Local Access	N 14th St	W Cherry Ave	W Pear Ave	East Side	100%	4 Ft	Concrete	Fair	Depressed Sidewalk; Worn
Selah	Local Access	Hegel Ct	W Pear Ave	Roundabout	West Side	100%	4 Ft	Concrete	Good	
Selah	Local Access	W Pear Ave	End of Sidewalk	Jessica Dr	South Side	100%	4 Ft	Concrete	Good	

Selah Sidewalk Assessment

Agency	Road Classification	Street	From	To	Position	% of SW over 2%	Width	Material	Condition	Notes
						Cross Slope				
Selah	Local Access	W Pear Ave	Jessica Dr	Jessica Dr	South Side	100%	4 Ft	Concrete	Good	
Selah	Local Access	Jessica Dr	W Pear Ave	W Pear Ave	E.N.W Sides	75%	4 Ft	Concrete	Good	
Selah	Local Access	W Pear Ave	N 14th St	N 13th St	South Side	100%	4 Ft	Concrete	Good	
Selah	Local Access	N 13th St	W Pear Ave	W Pear Ave	East Side	100%	4 Ft	Concrete	Good	Depressed Sidewalk;
Selah	Local Access	W Pear Ave	N 13th St	N 11th St	South Side	50%	4 Ft	Concrete	Good	
Selah	Local Access	N 13th St	W Pear Ave	W Home Ave	East Side	100%	4 Ft	Concrete	Good	
Selah	Local Access	N 13th St	W Home Ave	End of Sidewalk	East Side	0%	4 Ft	Concrete	Good	
Selah	Local Access	W Home Ave	N 13th St	N 11th St	North Side	0%	4 Ft	Concrete	Good	
Selah	Local Access	N 11th St	Speyers Rd	W Cherry Ave	West Side	100%, DW	4 Ft	Concrete	Good	
Selah	Local Access	N 11th St	W Cherry Ave	W Pear Ave	West Side	75%	4 Ft	Concrete	Good	
Selah	Local Access	N 11th St	W Pear Ave	W Home Ave	West Side	50%	4 Ft	Concrete	Good	
Selah	Local Access	N 11th St	W Home Ave	W Fremont Ave	West Side	100%	4 Ft	Concrete	Good	
Selah	Local Access	N 18th St	End of Sidewalk	W Orchard Ave	East Side	50%	4 Ft	Concrete	Good	Worn Sections;
Selah	Local Access	N 18th St	W Orchard Ave	Cedar Ln	East Side	100%	4 Ft	Concrete	Good	Worn;
Selah	Local Access	N 17th St	Cedar Ln	W Naches Ave	East Side	100%	4 Ft / 5 Ft	Concrete	Good	
Selah	Local Access	N 17th St	W Naches Ave	W 1st Ave	East Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	N 17th St	W 1st Ave	W Yakima Ave	East Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	N 16th St	W Fremont Ave	W Orchard Ave	East Side	100%	5 Ft	Concrete	Good	Worn;
Selah	Local Access	N 16th St	W Fremont Ave	W Orchard Ave	West Side	50% , DW	5 Ft	Concrete	Good	Worn;
Selah	Local Access	N 16th St	W Orchard Ave	Cedar Ln	East Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	N 16th St	W Orchard Ave	Cedar Ln	West Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	N 16th St	Cedar Ln	W Naches Ave	East Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	N 16th St	Cedar Ln	W Naches Ave	West Side	75%	5 Ft	Concrete	Good	
Selah	Local Access	N 16th St	W Naches Ave	W 1st Ave	East Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	N 16th St	W Naches Ave	W 1st Ave	West Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	N 16th St	W 1st Ave	W Yakima Ave	West Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	N 14th St	W Fremont Ave	Cedar Ln	East Side	100%, DW	4 Ft	Concrete	Poor	Depressed Sidewalk;
Selah	Local Access	N 14th St	Cedar Ln	W Naches Ave	West Side	100%	4 Ft	Concrete	Good	
Selah	Local Access	N 13th St	W Fremont Ave	Cedar Ln	West Side	100%, DW	4 Ft	Concrete	Poor	Depressed Sidewalk;
Selah	Local Access	W Orchard Ave	N 18th St	N 16th St	North Side	0%	4 Ft	Concrete	Good	Worn
Selah	Local Access	W Orchard Ave	N 16th St	Roundabout	North Side	0%	4 Ft	Concrete	Fair	Heaving; Worn
Selah	Local Access	Cedar Ln	End of Sidewalk	N 18th St	North Side	0%	4 Ft	Concrete	Good	
Selah	Local Access	Cedar Ln	N 18th St	N 16th St	North Side	0%	4 Ft	Concrete	Good	
Selah	Local Access	Cedar Ln	N 16th St	N 14th St	North Side	75%	4 Ft	Concrete	Fair	Heaving
Selah	Local Access	Cedar Ln	N 14th St	N 13th St	North Side	75%	4 Ft	Concrete	Fair	Depressed Sidewalk; Worn
Selah	Local Access	W Naches Ave	End of Sidewalk	N 17th St	North Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	W Naches Ave	N 17th St	N 16th St	North Side	75%	5 Ft	Concrete	Good	
Selah	Local Access	W Naches Ave	N 16th St	End of Sidewalk	North Side	10%	5 Ft	Concrete	Good	
Selah	Local Access	W Naches Ave	End of Sidewalk	Heritage Hills Dr	South Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	W 1st Ave	End of Sidewalk	N 17th St	North Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	W 1st Ave	N 17th St	N 16th St	North Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	W 1st Ave	N 16th St	W Naches Ave	N/W Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	Nelson Pl	W 1st Ave	End of Sidewalk	N/E Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	W Yakima Ave	End of Sidewalk	N 17th St	North Side	75%	5 Ft	Concrete	Good	

Selah Sidewalk Assessment

Agency	Road Classification	Street	From	To	Position	% of SW over 2%		Material	Condition	Notes
						Cross Slope	Width			
Selah	Local Access	W Yakima Ave	N 17th St	N 16th St	North Side	75%	5 Ft	Concrete	Good	
Selah	Local Access	Heritage Hills Dr	W Naches Ave	Heritage Hills Pl	West Side	50%	4 Ft	Concrete	Good	
Selah	Local Access	Heritage Hills Pl	Roundabout	Heritage Hills Dr	South Side	50%	4 Ft	Concrete	Good	
Selah	Local Access	Heritage Hills Dr	Heritage Hills Pl	Heritage Hills Ln	West Side	50%	4 Ft	Concrete	Good	
Selah	Local Access	Heritage Hills Ct	Roundabout	Heritage Hills Dr	S/W Side	50%	4 Ft	Concrete	Good	
Selah	Local Access	Heritage Hills Dr	Heritage Hills Ct	Brader Ave	West Side	50%	4 Ft / 7 Ft	Concrete	Good	
Selah	Local Access	Brader Ave	End of Sidewalk	Heritage Hills Dr	North Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	Heritage Hills Dr	Brader Ave	Mayer Ct	North Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	Mayer Ct	Heritage Hills Dr	Roundabout	S/E Side	75%	5 Ft	Concrete	Good	
Selah	Local Access	Heritage Hills Dr	Mayer Ct	Heritage Hills Ln	N/W Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	Heritage Hills Ln	Heritage Hills Dr	S 10th St	South Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	S 10th St	Heritage Hills Ln	End of Sidewalk	West Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	S 10th St	End of Sidewalk	W 1st Ave	East Side	25%	4 Ft	Concrete	Fair	Worn; Broken Panels
Selah	Local Access	W Yakima Ave	Roundabout	S 12th St	North Side	100%	4 Ft	Concrete	Good	
Selah	Local Access	W Yakima Ave	S 12th St	End of Sidewalk	North Side	100%	4 Ft	Concrete	Good	
Selah	Local Access	S 12th St	W Yakima Ave	End of Sidewalk	East Side	100%	4 Ft	Concrete	Good	
Selah	Local Access	Highland Ct	Roundabout	End of Sidewalk	West Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	W Naches Ave	Hovde Park Dr	Crusher Canyon	S/W Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	Hillcrest Dr	W Naches Ave	End of Sidewalk	S/E Side	50%	5 Ft / 7 Ft	Concrete	Good	
Selah	Local Access	S 12th St	Crusher Canyon Rd	End of Sidewalk	East Side	0%	6 Ft	Concrete	Good	
Selah	Local Access	S 12th St	Crusher Canyon Rd	S 12th St Loop	West Side	0%	6 Ft	Concrete	Good	
Selah	Local Access	S 12th St	S 12th St Loop	S 12th St Loop	West Side	0%	6 Ft	Concrete	Good	
Selah	Local Access	S 12th St	S 12th St Loop	End of Sidewalk	West Side	0%	6 Ft	Concrete	Good	
Selah	Local Access	S 12th St Loop	S 12th St	S 12th St	N.W.S Sides	0%	6 Ft	Concrete	Good	
Selah	Local Access	S 12th St Loop	S 12th St	S 12th St	N.E.S. Sides	0%	6 Ft	Concrete	Good	
Selah	Local Access	S 10th St	W 6th Ave	Ridgeview Ave	West Side	100%	4 Ft	Concrete	Poor	Badly Broken;
Selah	Local Access	S 10th St	W 5th Ave	W 6th Ave	East Side	100%, DW	5 Ft	Concrete	Good	
Selah	Local Access	W 6th Ave	S 10th St	Hillcrest Dr	North Side	100%, DW	5 Ft	Concrete	Good	Cracked;
Selah	Local Access	W 5th Ave	S 10th St	SherylN Dr	North Side	100%, DW	5 Ft	Concrete	Fair	Depressed Sidewalk; Worn
Selah	Local Access	W 5th Ave	SherylN Dr	Hillcrest Dr	North Side	100%, DW	5 Ft	Concrete	Fair	Depressed Sidewalk; Worn
Selah	Local Access	SherylN Dr	W 5th Ave	Roundabout	S/E Side	100%, DW	5 Ft	Concrete	Poor	Depressed Sidewalk; Worn; Cracked
Selah	Local Access	S 5th St	Riverview Ave	Laurel Pl	East Side	100%, DW	4 Ft	Concrete	Good	Heaving;
Selah	Local Access	S 5th St	Laurel Pl	Pleasant Ave	East Side	100%, DW	4 Ft	Concrete	Good	Worn;
Selah	Local Access	Laurel Pl	S 5th St	Roundabout	North Side	0%, DW	4 Ft	Concrete	Good	Worn;
Selah	Local Access	Laurel Pl	S 5th St	Roundabout	South Side	100%, DW	4 Ft	Concrete	Good	Worn
Selah	Local Access	S 5th St	End of Sidewalk	Southern Ave	West Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	S 7th St	Southern Ave	Terrace Dr	East Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	S 7th St	Terrace Dr	Lacey Ave	East Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	S 7th St	Lacey Ave	Harris Ae	East Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	S 4th St	Southern Ave	Lacey Ave	East Side	100%	4 Ft	Concrete	Poor	Depressed Sidewalk; Worn
Selah	Local Access	S 4th St Lp	Lacey Ave	Lacey Ave	E.S.W. Sides	50%	4 Ft	Concrete	Fair	Worn;
Selah	Local Access	Terrace Dr	End of Sidewalk	S 7th St	North Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	Terrace Dr	S 7th St	End of Sidewalk	North Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	Terrace Dr	S 7th St	End of Sidewalk	South Side	100%	5 Ft	Concrete	Good	

Selah Sidewalk Assessment

Agency	Road Classification	Street	From	To	Position	% of SW over 2% Cross Slope	Width	Material	Condition	Notes
Selah	Local Access	Lacey Ave	End of Sidewalk	S 7th St	South Side	100%	5 Ft	Concrete	Good	
Selah	Local Access	Lacey Ave	S 7th St	End of Sidewalk	South Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	Lacey Ave	End of Sidewalk	S 4th St	South Side	50%	4 Ft	Concrete	Good	Worn;
Selah	Local Access	Lacey Ave	S 4th St	S 4th St Lp	South Side	100%	4 Ft	Concrete	Fair	Heaved; Worn;
Selah	Local Access	Lacey Ave	S 4th St Lp	End of Sidewalk	South Side	100%	4 Ft	Concrete	Good	
Selah	Local Access	Harris Ave	S 7th St	End of Sidewalk	North Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	Alley (Dog Park)	W Naches Ave	End of Sidewalk	West Side	100%	4 Ft	Concrete	Good	
Selah	Local Access	N 3rd St	End of Sidewalk	W Bartlett Ave	West Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	N 3rd St	End of Sidewalk	W Bartlett Ave	East Side	0%	6	Concrete	Good	
Selah	Local Access	N 3rd St	W Bartlett Ave	W Fremont Ave	West Side	75%	4 Ft	Concrete	Fair	Worn; Cracked
Selah	Local Access	W Bartlett Ave	N 3rd St	N 1st St	North Side	50%	5 Ft / 8 Ft	Concrete	Good	Worn;
Selah	Local Access	W Orchard Ave	N 3rd St	N 1st St	North Side	100%	5 Ft	Concrete	Fair	2 Broken Panels; Worn;
Selah	Local Access	W Orchard Ave	N 3rd St	N 1st St	South Side	100%	4 Ft	Concrete	Fair	Worn; Cracked
Selah	Local Access	E Orchard Ave	N 1st St	Jim Clements Way	North Side	100%	4 Ft / 5 Ft	Concrete	Good	2 Broken Panels; Worn;
Selah	Local Access	E Orchard Ave	N 1st St	Jim Clements Way	South Side	100%	4 Ft / 6 Ft	Concrete	Good	
Selah	Local Access	Brick Road	S 1st St	Jim Clements Way	North Side	100%	5 Ft / 6 Ft	Brick	Good	
Selah	Local Access	E 1st Ave	N 1st St	Jim Clements Way	South Side	100%, DW	5 Ft	Concrete	Good	
Selah	Local Access	E 2nd Ave	S 1st St	Jim Clements Way	North Side	100%, DW	5 Ft	Concrete	Good	
Selah	Local Access	E 2nd Ave	S 1st St	Jim Clements Way	South Side	100%, DW	5 Ft	Concrete	Good	Worn;
Selah	Local Access	E 10th Ave	S 1st St	End of Sidewalk	South Side	0%	5 Ft	Concrete	Good	Worn;
Selah	Local Access	Test Drive Lane	E 11th Ave	End of Sidewalk	East Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	Test Drive Lane	E 11th Ave	End of Sidewalk	West Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	S Rushmore Rd	E Naches Ave	End of Sidewalk	West Side	25%	5 Ft	Concrete	Good	
Selah	Local Access	Jamie Dr	Jim Clements Way	E Goodlander Rd	S.W.N Sides	50%	4 Ft	Concrete	Fair	Depressed Sidewalk; Worn
Selah	Local Access	Jamie Dr	Jim Clements Way	E Goodlander Rd	S.E.N Sides	50%	4 Ft	Concrete	Fair	Depressed Sidewalk; 2 Broken Areas
Selah	Local Access	E Goodlander Rd	Jim Clements Way	Jamie Dr	South Side	50% , DW	5 Ft	Concrete	Good	
Selah	Local Access	E Goodlander Rd	Jamie Dr	End of Sidewalk	North Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	N Park Dr	E Goodlander Rd	Roundabout	West Side	50% , DW	5 Ft	Concrete	Good	
Selah	Local Access	N Park Dr	End of Sidewalk	Roundabout	East Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	N Park Dr	Jim Clements Way	Roundabout	North Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	N Park Dr	Jim Clements Way	Roundabout	South Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	S Park Dr	Roundabout	Larson Rd	West Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	S Park Dr	End of Sidewalk	Larson Rd	East Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	Larson Rd	Jim Clements Way	S Park Dr	North Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	Larson Rd	Jim Clements Way	S Park Dr	South Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	S Park Dr	Larson Rd	E Home Ave	West Side	0%	5 Ft	Concrete	Good	
Selah	Local Access	S Park Dr	E Home Ave	E Bartlett Ave	West Side	50%	5 Ft	Concrete	Good	
Selah	Local Access	E Home Ave	Jim Clements Way	S Park Dr	North Side	50%	4 Ft	Concrete	Fair	Heaving;
Selah	Local Access	E Bartlett Ave	N Wenas Rd	N Railroad Ave	North Side	50%	4 Ft	Concrete	Good	Heaving;
Selah	Local Access	W Pleasant Ave	S 3rd St	S 1st St	North Side	0%	5 Ft	Concrete	Good	

Sidewalk Condition

Good: Satisfactory. No major cracks or breaks. Easily traversable by all.

Fair: Some breaks or cracks. Possible small issues for a wheelchair to traverse.

Selah Sidewalk Assessment

Agency	Road Classification	Street	From	To	Position	% of SW over 2% Cross Slope	Width	Material	Condition	Notes
	Poor:	Large breaks and cracks throughout. Would be difficult for a wheelchair to use.								
	ADA Compliance Issue:	The sidewalk doesn't meet current ADA standards and needs to be updated.								
	New Construction:	A sidewalk installed in the last 5 years that meets current ADA standards.								

Selah Curb Ramp Assessment

Agency	Curb Ramp No.	Location	Ramp Position	Condition	Truncated Dome	Notes
Selah	1	W Fremont Ave & N 8th St	SE	New Construction	Yes	Single Direction Ramp;
Selah	2	W Fremont Ave & N 8th St	SW	New Construction	Yes	Single Direction Ramp;
Selah	3	W Fremont Ave & N 10th St	SW	New Construction	Yes	Parallel Curb Ramp;
Selah	4	W Fremont Ave & N 10th St	NW	New Construction	Yes	Parallel Curb Ramp;
Selah	5	W Fremont Ave & N 10th St	NE	New Construction	Yes	Parallel Curb Ramp;
Selah	6	W Fremont Ave & N 10th St	SE	New Construction	Yes	Parallel Curb Ramp;
Selah	7	W Fremont Ave & N 1st St	NW	New Construction	Yes	Parallel Curb Ramp;
Selah	8	W Fremont Ave & N 1st St	NE	Good	Yes	Parallel Curb Ramp;
Selah	9	W Fremont Ave & N 1st St	SW	Good	Yes	Parallel Curb Ramp;
Selah	10	W Fremont Ave & N 1st St	SE	Good	Yes	Parallel Curb Ramp;
Selah	11	E Orchard Ave & N 1st St	NE	Good	Yes	Parallel Curb Ramp;
Selah	12	E Goodlander	SW	Fair	No	Curb cut, No actual ramp; Doesn't meet current ADA requirements
Selah	13	E Goodlander	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	14	E Goodlander	SW	Good	No	Curb cut, No actual ramp; Doesn't meet current ADA requirements
Selah	15	E Goodlander	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	16	E Goodlander & Jamie Dr	NE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	17	E Goodlander & Jamie Dr	NW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	18	E Goodlander & N Park Dr	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	19	N Park Dr	NW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	20	N Park Dr	SW	Fair	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	21	N Park Dr @ Roundabout	SE	Good	Yes	Combination Curb Ramp;
Selah	22	N Park Dr Island @ Roundabout	NW (Island)	Good	Yes	Island Curb Ramp;
Selah	23	N Park Dr Island @ Roundabout	SE (Island)	Good	Yes	Island Curb Ramp;
Selah	24	N Park Dr @ Roundabout	NW	Good	Yes	Combination Curb Ramp;
Selah	25	N Park Dr @ Roundabout	N	Good	Yes	Combination Curb Ramp;
Selah	26	N Park Dr Island @ Roundabout	S (Island)	Good	Yes	Island Curb Ramp;
Selah	27	N Park Dr Island @ Roundabout	N (Island)	Good	Yes	Island Curb Ramp;
Selah	28	N Park Dr @ Roundabout	S	Good	Yes	Combination Curb Ramp;
Selah	29	S Park Dr @ Roundabout	E	Good	Yes	Combination Curb Ramp;
Selah	30	S Park Dr Island @ Roundabout	W (Island)	Good	Yes	Island Curb Ramp;
Selah	31	S Park Dr Island @ Roundabout	E (Island)	Good	Yes	Island Curb Ramp;
Selah	32	S Park Dr @ Roundabout	W	Good	Yes	Combination Curb Ramp;
Selah	33	S Park Dr	NW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	34	S Park Dr	SW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	35	S Park Dr	NW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	36	S Park Dr	SW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	37	S Park Dr	NW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	38	S Park Dr	SW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	39	Larson Dr & S Park Dr	NW	Good	Yes	Parallel Curb Ramp;
Selah	40	Larson Dr & S Park Dr	SW	Good	Yes	Parallel Curb Ramp;
Selah	41	Larson Dr	NE	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	42	Larson Dr	SE	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	43	Larson Dr	SW	Good	Yes	Commercial Driveway Parallel Curb Ramp;

Selah Curb Ramp Assessment

Agency	Curb Ramp No.	Location	Ramp Position	Condition	Truncated Dome	Notes
Selah	44	Larson Dr	NW	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	45	Larson Dr & S Park Dr	SE	Good	Yes	Parallel Curb Ramp;
Selah	46	S Park Dr	NE	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	47	S Park Dr	NW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	48	S Park Dr	SW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	49	E Home Ave & S Park Dr	NW	Good	Yes	Parrallel Curb Ramp;
Selah	50	E Home Ave & N Railroad Ave	SW	Good	Yes	Parrallel Curb Ramp;
Selah	51	E Bartlett Ave & N Railroad Ave	NW	Good	Yes	Single Direction Ramp;
Selah	52	E Naches Ave & S Railroad Ave	SW	Good	Yes	Parallel Curb Ramp;
Selah	53	E Naches Ave & S Railroad Ave	SE	Good	Yes	Parallel Curb Ramp;
Selah	54	E Naches Ave	SW	Fair	No	Asphalt Ramp at End of Sidewalk; Doesn't meet current ADA requirements
Selah	55	E Naches Ave	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	56	E Naches Ave	SE	Good	Yes	Perpendicular Curb Ramp;
Selah	57	E Naches Ave	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	58	E Naches Ave	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	59	E Naches Ave & S Rushmore Rd	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	60	S Rushmore Rd	NW	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	61	S Rushmore Rd	SW	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	62	S Rushmore Rd	NW	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	63	S Rushmore Rd	SW	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	64	S Rushmore Rd	NW	Good	Yes	Single Direction Curb Ramp;
Selah	65	W Fremont Ave & N 5th St	SW	New Construction	Yes	Single Direction Curb Ramp;
Selah	66	W Fremont Ave & N 5th St	SE	New Construction	Yes	Single Direction Curb Ramp;
Selah	67	W Fremont Ave & N 4th St	NW	Good	Yes	Parallel Curb Ramp;
Selah	68	W Fremont Ave & N 4th St	NE	Good	Yes	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	69	W Fremont Ave & Speyers Rd	N (Island)	Good	Yes	Single Direction Curb Ramp;
Selah	70	W Fremont Ave & Speyers Rd	S (Island)	Good	Yes	Parallel Curb Ramp;
Selah	71	W Fremont Ave & Speyers Rd	NE	New Construction	Yes	Parallel Curb Ramp;
Selah	72	W Fremont Ave & Speyers Rd	NW	New Construction	Yes	Parallel Curb Ramp;
Selah	73	W Fremont Ave & N 4th St	SW	New Construction	Yes	Single Direction Curb Ramp;
Selah	74	W Fremont Ave & N 4th St	SE	Good	Yes	Single Direction Curb Ramp;
Selah	75	W Fremont Ave & N 3rd St	SW	Good	Yes	Parallel Curb Ramp;
Selah	76	W Fremont Ave & N 3rd St	NW	New Construction	Yes	Perpendicular Curb Ramp;
Selah	77	W Fremont Ave & N 3rd St	SE	Good	Yes	Parallel Curb Ramp;
Selah	78	W Bartlett Ave & N 3rd St	NW	New Construction	Yes	Parallel Curb Ramp;
Selah	79	W Bartlett Ave & N 3rd St	NE	New Construction	Yes	Parallel Curb Ramp;
Selah	80	N 3rd St	NW	New Construction	Yes	Parallel Curb Ramp;
Selah	81	N 3rd St	NE	New Construction	Yes	Parallel Curb Ramp;
Selah	82	W Bartlett Ave & N 1st St	NW	New Construction	Yes	Parallel Curb Ramp;
Selah	83	W Bartlett Ave & N 1st St	SW	New Construction	Yes	Parallel Curb Ramp;
Selah	84	E Bartlett Ave & N 1st St	NE	New Construction	Yes	Parallel Curb Ramp;
Selah	85	E Bartlett Ave & N 1st St	SE	New Construction	Yes	Parallel Curb Ramp;
Selah	86	E Home Ave & N 1st St	SE	New Construction	Yes	Parallel Curb Ramp;

Selah Curb Ramp Assessment

Agency	Curb Ramp No.	Location	Ramp Position	Condition	Truncated Dome	Notes
Selah	87	E Home Ave & N 1st St	NE	New Construction	Yes	Parallel Curb Ramp;
Selah	88	N 1st St	SE	New Construction	Yes	Single Direction Curb Ramp;
Selah	89	N 1st St	NE	New Construction	Yes	Perpendicular Curb Ramp
Selah	90	N 1st St	NW	New Construction	Yes	Ramp Has Been Removed
Selah	91	N 1st St	SE	Good	Yes	Commercial Driveway Perpendicular Curb Ramp;
Selah	92	N 1st St	NE	Good	Yes	Commercial Driveway Perpendicular Curb Ramp;
Selah	93	Hillview Ave & N 1st St	SW	Good	Yes	Parallel Curb Ramp;
Selah	94	Wernex Loop Rd & N 1st St	SE	Good	Yes	Parallel Curb Ramp;
Selah	95	Wernex Loop Rd & N 1st St	NE	Good	Yes	Parallel Curb Ramp;
Selah	96	Hillview Ave & N 1st St	NW	Good	Yes	Parallel Curb Ramp;
Selah	97	Wernex Loop Rd	SE	Good	Yes	Parallel Curb Ramp;
Selah	98	Wernex Loop Rd	NE	Good	Yes	Parallel Curb Ramp;
Selah	99	Wernex Loop Rd & N 1st St	SE	Good	Yes	Single Direction Curb Ramp;
Selah	100	Wernex Loop Rd & N 1st St	NE	Good	Yes	Parallel Curb Ramp;
Selah	101	Palmer Dr & N 1st St	NW	Good	Yes	Parallel Curb Ramp;
Selah	102	Palmer Dr & N 1st St	SW	Good	Yes	Parallel Curb Ramp;
Selah	103	Palmer Dr & N 1st St	NE	Good	Yes	Parallel Curb Ramp;
Selah	104	Palmer Dr & N 1st St	SE	Good	Yes	Parallel Curb Ramp;
Selah	105	E Goodlander Rd & N 1st St	SW	Good	Yes	Parallel Curb Ramp; Maybe Yakima County
Selah	106	E Goodlander Rd & N 1st St	SE	Good	Yes	Parallel Curb Ramp; Maybe Yakima County
Selah	107	E Goodlander Rd	SW	Good	Yes	Single Direction Curb Ramp;
Selah	108	E Goodlander Rd	SE	Good	Yes	Perpendicular Curb Ramp;
Selah	109	E Goodlander Rd & Lancaster Rd	NW	Good	Yes	Parallel Curb Ramp;
Selah	110	E Goodlander Rd & Lancaster Rd	NE	Good	Yes	Single Direction Curb Ramp;
Selah	111	E Goodlander Rd & Lancaster Rd	SW	Good	Yes	Single Direction Curb Ramp;
Selah	112	E Goodlander Rd & Lancaster Rd	SE	Good	Yes	Single Direction Curb Ramp;
Selah	113	W Orchard Ave & N 1st Rd	NW	Fair	Yes	Parallel Curb Ramp; Worn TD
Selah	114	W Orchard Ave & N 1st Rd	SE	Fair	Yes	Parallel Curb Ramp; Worn TD;
Selah	115	W Orchard Ave & N 1st Rd	SW	Fair	Yes	Parallel Curb Ramp; Worn TD
Selah	116	W Naches Ave & N 1st St	NW (S)	Fair	Yes	Perpendicular Curb Ramp; Worn TD;
Selah	117	E Naches Ave & N 1st St	NE (S)	Fair	Yes	Perpendicular Curb Ramp; Worn TD;
Selah	118	W Naches Ave & N 1st St	NW (E)	Fair	Yes	Perpendicular Curb Ramp; Worn TD;
Selah	119	E Naches Ave & N 1st St	NE (W)	Fair	Yes	Perpendicular Curb Ramp; Worn TD;
Selah	120	W Naches Ave & S 1st St	SW	Fair	Yes	Perpendicular Curb Ramp; Worn TD;
Selah	121	E Naches Ave & S 1st St	SE	Fair	Yes	Perpendicular Curb Ramp; Worn TD;
Selah	122	W Naches Ave	N	Good	Yes	Perpendicular Curb Ramp;
Selah	123	W Naches Ave & S 2nd St	SE	Poor	Yes	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	124	W Naches Ave & S 2nd St	SW	Good	Yes	Single Direction Curb Ramp;
Selah	125	W Naches Ave & S 3rd St	NW	Good	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	126	W Naches Ave & S 3rd St	NE	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	127	W Naches Ave & S 3rd St	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	128	W Naches Ave & S 3rd St	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	129	W Naches Ave	NE	Good	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements

Selah Curb Ramp Assessment

Agency	Curb Ramp No.	Location	Ramp Position	Condition	Truncated Dome	Notes
Selah	130	W Naches Ave	NW	Good	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	131	W Naches Ave	S	Good	Yes	Perpendicular Curb Ramp;
Selah	132	W Naches Ave	S	Good	Yes	Perpendicular Curb Ramp;
Selah	133	W Naches Ave	N	Good	Yes	Parallel Curb Ramp;
Selah	134	W Naches Ave & N 4th St	NE	Fair	Yes	Perpendicular Curb Ramp; Worn
Selah	135	W Naches Ave & N 4th St	NW	Fair	Yes	Perpendicular Curb Ramp; Worn
Selah	136	W Naches Ave & N 4th St	SE	Fair	Yes	Perpendicular Curb Ramp; Worn
Selah	137	W Naches Ave & N 4th St	SW	Fair	Yes	Perpendicular Curb Ramp; Worn
Selah	138	W Naches Ave & W Naches Ave	NE	Good	Yes	Perpendicular Curb Ramp;
Selah	139	W Naches Ave & Hillcrest Dr	SE	Good	Yes	Perpendicular Curb Ramp;
Selah	140	W Naches Ave & Hillcrest Dr	SW	Good	Yes	Perpendicular Curb Ramp;
Selah	141	W Naches Ave & W Naches Ave	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	142	Hillcrest Dr	N	Good	Yes	Single Direction Curb Ramp;
Selah	143	Hillcrest Dr	S	Good	Yes	Single Direction Curb Ramp;
Selah	144	Southern Ave & S 4th St	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	145	Southern Ave & S 4th St	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	146	Lacey Ave & S 4th St	NE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	147	Lacey Ave & S 4th St Loop	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	148	Lacey Ave & S 4th St Loop	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	149	S 4th St Loop	NE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	150	S 4th St Loop	NW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	151	Lacey Ave & S 4th St Loop	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	152	Lacey Ave & S 4th St Loop	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	153	Harris Ave & S 7th St	NE	Fair	Yes	Perpendicular Curb Ramp; Needs Updated TD
Selah	154	Harris Ave & S 7th St	SE	Fair	Yes	Perpendicular Curb Ramp; Needs Updated TD
Selah	155	Lacey Ave & S 7th St	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	156	Lacey Ave & S 7th St	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	157	Lacey Ave & S 7th St	NE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	158	Terrace Dr & S 7th St	NE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	159	Terrace Dr & S 7th St	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	160	Terrace Dr & S 7th St	NW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	161	Southern Ave & S 7th St	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	162	Southern Ave & S 7th St	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	163	Southern Ave & S 5th St	NW	Fair	Yes	Perpendicular Curb Ramp; Needs Updated TD
Selah	164	Valleyview Ave & S 3rd St	NW	Good	Yes	Parallel Curb Ramp;
Selah	165	Selah Ave & S 3rd St	SW	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	166	Selah Ave & S 3rd St	NW	Good	Yes	Single Direction Curb Ramp;
Selah	167	S 3rd St	S	Good	Yes	Single Direction Curb Ramp;
Selah	168	Park Ave & S 3rd St	SW	Good	Yes	Single Direction Curb Ramp;
Selah	169	Park Ave & S 3rd St	SE	Good	Yes	Parallel Curb Ramp;
Selah	170	Park Ave & S 3rd St	NE	Good	Yes	Parallel Curb Ramp;
Selah	171	S 3rd St	SW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	172	S 3rd St	NW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	173	W Yakima Ave & S 3rd St	NW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;

Selah Curb Ramp Assessment

Agency	Curb Ramp No.	Location	Ramp Position	Condition	Truncated Dome	Notes
Selah	174	W Yakima Ave & S 3rd St	SW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	175	W Yakima Ave & S 3rd St	NE	Good	Yes	Single Direction Curb Ramp;
Selah	176	W Yakima Ave & S 3rd St	SE	Good	Yes	Single Direction Curb Ramp;
Selah	177	S 3rd St	NW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	178	S 3rd St	SW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	179	W Naches Ave & Hovde Park Dr	SE	Good	No	Asphalt Ramp at End of Sidewalk;
Selah	180	Hillcrest Dr	S	Fair	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	181	Crusher Canyon Rd & Anchor Loop	NE	Good	Yes	Perpendicular Curb Ramp;
Selah	182	Crusher Canyon Rd & Anchor Loop	SE	Good	Yes	Perpendicular Curb Ramp;
Selah	183	Crusher Canyon Rd & Canyon Parkway	NE	Good	Yes	Perpendicular Curb Ramp;
Selah	184	Crusher Canyon Rd & Canyon Parkway	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	185	Crusher Canyon Rd & S 10th St	SE	Good	Yes	Perpendicular Curb Ramp;
Selah	186	Crusher Canyon Rd & S 10th St	SW	Good	Yes	Perpendicular Curb Ramp;
Selah	187	W 5th Ave & S 10th St	NE	Good	Yes	Parallel Curb Ramp;
Selah	188	W 5th Ave & S 10th St	SE	Good	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	189	Crusher Canyon Rd & S 12th St	SW	Good	Yes	Parallel Curb Ramp;
Selah	190	Crusher Canyon Rd & S 12th St	SE	Good	Yes	Parallel Curb Ramp;
Selah	191	Crusher Canyon Rd	NE	Good	No	End of Sidewalk;
Selah	192	Crusher Canyon Rd	SE	Good	No	End of Sidewalk;
Selah	193	S 12th St Loop & S 12th St	NW	Good	Yes	Parallel Curb Ramp;
Selah	194	S 12th St Loop & S 12th St	SW	Good	Yes	Parallel Curb Ramp;
Selah	195	S 12th St Loop & S 12th St	NW	Good	Yes	Parallel Curb Ramp;
Selah	196	S 12th St Loop & S 12th St	NW	Good	Yes	Parallel Curb Ramp;
Selah	197	W 5th Ave & Sherlyn Dr	NE	Poor	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	198	W 5th Ave & Sherlyn Dr	NW	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	199	S 6th Ave & S 10th St	NE	Poor	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	200	S 5th Ave & Hillcrest Dr	NW	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	201	Heritage Hills Ln & S 10th St	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	202	Heritage Hills Ln & S 10th St	SW	Good	Yes	Perpendicular Curb Ramp;
Selah	203	Heritage Hills Dr & Mayer Ct	NE	Good	Yes	Perpendiular Curb Ramp;
Selah	204	Heritage Hills Dr & Mayer Ct	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	205	Heritage Hills Dr & Heritage Hills Dr	NE	Good	Yes	Perpendicular Curb Ramp;
Selah	206	Heritage Hills Dr & Heritage Hills Dr	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	207	Heritage Hills Dr & Heritage Hills Ln	SE	Good	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	208	Heritage Hills Dr & Herritage Hills Ct	SW	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	209	Heritage Hills Dr & Herritage Hills Ct	NW	Good	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	210	Heritage Hills Dr & Herritage Hills Pl	SW	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	211	Heritage Hills Dr & Herritage Hills Pl	NW	Good	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	212	W Naches Ave & N 14th St	NW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	213	W Naches Ave & N 14th St	SW	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	214	W Naches Ave	N	Good	Yes	Parallel Curb Ramp;
Selah	215	W Naches Ave	S	Good	Yes	Parallel Curb Ramp;
Selah	216	W Naches Ave & Nelson Pl	NW	Good	Yes	Parallel Curb Ramp;
Selah	217	W Naches Ave & Nelson Pl	SW	Good	Yes	Perpendicular Curb Ramp;

Selah Curb Ramp Assessment

Agency	Curb Ramp No.	Location	Ramp Position	Condition	Truncated Dome	Notes
Selah	218	W Naches Ave & N 16th St	NE	Good	Yes	Perpendicular Curb Ramp;
Selah	219	W Naches Ave & N 16th St	SE	Good	Yes	Perpendicular Curb Ramp;
Selah	220	W Naches Ave & N 16th St	SW	Good	Yes	Perpendicular Curb Ramp;
Selah	221	W Naches Ave & N 16th St	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	222	Nelson Pl & Nelson Pl	SE	Good	Yes	Perpendicular Curb Ramp;
Selah	223	Nelson Pl & Nelson Pl	NE	Good	Yes	Parallel Curb Ramp;
Selah	224	Nelson Pl & S 16th St	NE	Good	Yes	Perpendicular Curb Ramp;
Selah	225	W 1st Ave & S 16th St	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	226	W 1st Ave & S 16th St	SW	Good	Yes	Perpendicular Curb Ramp;
Selah	227	W Yakima Ave & S 16th St	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	228	W Yakima Ave & S 17th St	NE	Good	Yes	Perpendicular Curb Ramp;
Selah	229	W Yakima Ave & S 17th St	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	230	W 1st Ave & S 17th St	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	231	W 1st Ave & S 17th St	NE	Good	Yes	Perpendicular Curb Ramp;
Selah	232	W 1st Ave & S 17th St	SE	Good	Yes	Perpendicular Curb Ramp;
Selah	233	W Naches Ave & N 17th St	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	234	W Naches Ave & N 17th St	NE	Good	Yes	Perpendicular Curb Ramp;
Selah	235	W Naches Ave & S 17th St	SE	Good	Yes	Perpendicular Curb Ramp;
Selah	236	Cedar Ln & N 17th St	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	237	Cedar Ln & N 18th St	NE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	238	Cedar Ln & N 18th St	NW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	239	W Orchard Ave & N 18th St	NE	Fair	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	240	W Orchard Ave & N 18th St	SE	Fair	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	241	Cedar Ln & N 16th St	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	242	Cedar Ln & N 16th St	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	243	Cedar Ln & N 16th St	NE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	244	Cedar Ln & N 16th St	NW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	245	W Orchard Ave & N 16th St	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	246	W Orchard Ave & N 16th St	SE	Fair	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	247	W Orchard Ave & N 16th St	NE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	248	W Orchard Ave & N 16th St	NW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	249	W Fremont Ave & N 16th St	SW	New Construction	Yes	Perpendicular Curb Ramp;
Selah	250	W Fremont Ave & N 16th St	SE	New Construction	Yes	Parallel Curb Ramp;
Selah	251	W Fremont Ave & N 16th St	NE	New Construction	Yes	Parallel Curb Ramp;
Selah	252	W Fremont Ave	NW	New Construction	Yes	Perpendicular Curb Ramp;
Selah	253	W Fremont Ave	NE	New Construction	Yes	Perpendicular Curb Ramp;
Selah	254	W Fremont Ave & N 14th St	SW	New Construction	Yes	Parallel Curb Ramp;
Selah	255	W Fremont Ave & N 14th St	SE	New Construction	Yes	Parallel Curb Ramp;
Selah	256	Cedar Ln & N 14th St	NW	Fair	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	257	Cedar Ln & N 14th St	NE	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	258	Cedar Ln & N 13th St	NW	Poor	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	259	W Fremont Ave & N 13th St	SW	New Construction	Yes	Parallel Curb Ramp;
Selah	260	W Fremont Ave & N 13th St	NW	New Construction	Yes	Perpendicular Curb Ramp;
Selah	261	W Fremont Ave & N 13th St	NE	New Construction	Yes	Perpendicular Curb Ramp;

Selah Curb Ramp Assessment

Agency	Curb Ramp No.	Location	Ramp Position	Condition	Truncated Dome	Notes
Selah	262	W Fremont Ave & N 13th St	SE	New Construction	Yes	Parallel Curb Ramp;
Selah	263	W Fremont Ave & N 12th St	SW	New Construction	Yes	Parallel Curb Ramp;
Selah	264	W Fremont Ave & N 12th St	SE	New Construction	Yes	Parallel Curb Ramp;
Selah	265	W Fremont Ave & N 11th St	NW	New Construction	Yes	Parallel Curb Ramp;
Selah	266	W Fremont Ave & N 11th St	NE	New Construction	Yes	Parallel Curb Ramp;
Selah	267	W Yakima Ave & S 12th St	NW	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	268	W Yakima Ave & S 12th St	NE	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	269	W Home Ave & N 13th St	NE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	270	W Home Ave & N 13th St	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	271	W Pear Ave & N 13th St	NE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	272	W Pear Ave & N 13th St	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	273	W Pear Ave & N 13th St	SE	Good	No	Asphalt Ramp; Doesn't meet current ADA requirements
Selah	274	W Pear Ave & N 13th St	SW	Good	No	Asphalt Ramp; Doesn't meet current ADA requirements
Selah	275	W Pear Ave & Jessica Dr	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	276	W Pear Ave & Jessica Dr	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	277	W Pear Ave & Jessica Dr	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	278	W Pear Ave & Jessica Dr	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	279	W Pear Ave & Hegel Ct	NW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	280	W Cherry Ave & N 14th St	SE	Fair	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	281	W Cherry Ave & N 14th St	NW	Fair	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	282	W Cherry Ave & Kristine Pl	NE	Good	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	283	W Cherry Ave & Kristine Pl	NW	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	284	W Cherry Ave & Kristine Pl	SW	Good	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	285	Speyers Rd & N 13th St	SW	Good	Yes	Parallel Curb Ramp;
Selah	286	Speyers Rd & N 13th St	NW	Good	Yes	Parallel Curb Ramp;
Selah	287	Speyers Rd & N 12th St	NE	Good	Yes	Parallel Curb Ramp;
Selah	288	Speyers Rd & N 12th St	NW	Good	Yes	Parallel Curb Ramp;
Selah	289	Speyers Rd & N 11th St	SW	Good	Yes	Parallel Curb Ramp;
Selah	290	Speyers Rd & N 11th St	N	Good	Yes	Parallel Curb Ramp;
Selah	291	Speyers Rd & N 9th St	NE	Good	Yes	Parallel Curb Ramp;
Selah	292	Speyers Rd & N 9th St	NW	Good	Yes	Parallel Curb Ramp;
Selah	293	White Bluffs Pl & N 9th St	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	294	Speyers Rd & Sage Ave	NW	Good	Yes	Parallel Curb Ramp;
Selah	295	Speyers Rd & Sage Ave	NE	Good	Yes	Parallel Curb Ramp;
Selah	296	Speyers Rd & Sage Ave	NW	Good	Yes	Single Direction Curb Ramp;
Selah	297	Speyers Rd & Sage Ave	NE	Good	Yes	Parallel Curb Ramp;
Selah	298	Speyers Rd	NW	Good	Yes	Single Direction Curb Ramp;
Selah	299	Speyers Rd	NE	Good	Yes	Parallel Curb Ramp;
Selah	300	Speyers Rd & N 5th St	NE	Good	Yes	Single Direction Curb Ramp;
Selah	301	Speyers Rd & N 5th St	SE	Good	Yes	Single Direction Curb Ramp;
Selah	302	W Home Ave & N 11th St	SW	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	303	W Home Ave & N 11th St	NW	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	304	W Pear Ave & N 11th St	SW	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	305	W Pear Ave & N 11th St	NW	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements

Selah Curb Ramp Assessment

Agency	Curb Ramp No.	Location	Ramp Position	Condition	Truncated Dome	Notes
Selah	306	W Cherry Ave & N 11th St	SW	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	307	W Cherry Ave & N 11th St	NW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	308	Merinda Dr & N 1st St	SW	Good	Yes	Parallel Curb Ramp;
Selah	309	Merinda Dr & N 1st St	NW	Good	Yes	Parallel Curb Ramp;
Selah	310	Merinda Dr & Rinda Ct	SE	Good	Yes	Single Direction Curb Ramp;
Selah	311	Merinda Dr & Rinda Ct	SW	Good	Yes	Parallel Curb Ramp;
Selah	312	Dixie Dr & Rinda Ct	SW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	313	W Goodlander Rd	N	Good	Yes	Parallel Curb Ramp;
Selah	314	W Goodlander Rd & W Goodlander Rd	N	Good	Yes	Parallel Curb Ramp;
Selah	315	W Goodlander Rd	S	Good	Yes	Parallel Curb Ramp;
Selah	316	W Goodlander Rd & W Goodlander Rd	S	Good	Yes	Parallel Curb Ramp;
Selah	317	W Goodlander Rd & Valhalla Loop	E	Good	Yes	Parallel Curb Ramp;
Selah	318	W Goodlander Rd & Valhalla Loop	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	319	W Goodlander Rd & Valhalla Loop	SW	Good	Yes	Perpendicular Curb Ramp;
Selah	320	Valhalla Loop & Vinland Ct	S	Good	Yes	Perpendicular Curb Ramp;
Selah	321	Valhalla Loop & Vinland Ct	N	Good	Yes	Parallel Curb Ramp;
Selah	322	W Goodlander Rd & Valhalla Loop	SW	Good	Yes	Perpendicular Curb Ramp;
Selah	323	W Goodlander Rd & Valhalla Loop	NE	Good	Yes	Parallel Curb Ramp;
Selah	324	W Goodlander Rd & N 13th St	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	325	W Goodlander Rd & N 13th St	NE	Good	Yes	Perpendicular Curb Ramp;
Selah	326	W Goodlander Rd & Selah Vista Wy	SW	Good	Yes	Parallel Curb Ramp;
Selah	327	W Goodlander Rd & Selah Vista Wy	SE	Good	Yes	Perpendicular Curb Ramp;
Selah	328	Verde Ln & Selah Vista Wy	N	Good	Yes	Parallel Curb Ramp;
Selah	329	Verde Ln & Selah Vista Wy	S	Good	Yes	Parallel Curb Ramp;
Selah	330	Selah Vista Wy & Vista Del Sol	E	Good	Yes	Parallel Curb Ramp;
Selah	331	W Goodlander Rd & Crestview Dr	W	Good	Yes	Perpendicular Curb Ramp;
Selah	332	W Goodlander Rd & Crestview Dr	E	Good	Yes	Perpendicular Curb Ramp;
Selah	333	Crestview Dr & Crestview Ct	N	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	334	Crestview Dr & Crestview Ct	S	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	335	Lyle Ave & Crestview Dr	S	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	336	Lyle Ave & Crestview Dr	N	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	337	Lyle Ave & Terry Ln	S	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	338	Lyle Ave & Terry Ln	N	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	339	Lyle Loop & Herlou Dr	N	Good	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	340	Lyle Loop & Herlou Dr	S	Good	Yes	Parallel Curb Ramp;
Selah	341	Lyle Loop & Herlou Dr	N	Good	Yes	Parallel Curb Ramp;
Selah	342	Braeburn Ct	E	Good	Yes	Perpendicular Curb Ramp;
Selah	343	W Goodlander Rd & Braeburn Ct	W	Good	Yes	Perpendicular Curb Ramp;
Selah	344	W Goodlander Rd & Braeburn Ct	E	Good	Yes	Perpendicular Curb Ramp;
Selah	345	W Goodlander Rd & Terry Ln	W	Good	Yes	Perpendicular Curb Ramp;
Selah	346	W Goodlander Rd & Terry Ln	E	Good	Yes	Perpendicular Curb Ramp;
Selah	347	Apple Way & Terry Ln	NE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	348	Apple Way & Terry Ln	SW	Good	Yes	Single Direction Curb Ramp;
Selah	349	Apple Way & Terry Ln	SE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements

Selah Curb Ramp Assessment

Agency	Curb Ramp No.	Location	Ramp Position	Condition	Truncated Dome	Notes
Selah	350	Apple Way	E	Good	Yes	Perpendicular Curb Ramp;
Selah	351	Apple Way & N 4th St	NW	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	352	Apple Way & N 4th St	NE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	353	N 4th St	E	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	354	W Goodlander Rd & N 4th St	SW	Good	Yes	Single Direction Curb Ramp;
Selah	355	W Goodlander Rd & N 4th St	SE	Good	Yes	Single Direction Curb Ramp;
Selah	356	W Goodlander Rd & N 2nd St	SW	Good	Yes	Single Direction Curb Ramp;
Selah	357	W Goodlander Rd & N 2nd St	SE	Good	Yes	Single Direction Curb Ramp;
Selah	358	Southern Ave & S 1st St	SW	Good	Yes	Single Direction Curb Ramp;
Selah	359	Southern Ave & S 1st St	NW	Good	Yes	Perpendicular Curb Ramp;
Selah	360	E 11th Ave & S 1st St	NE	Fair	Yes	Parallel Curb Ramp; Worn TD
Selah	361	E 11th Ave & S 1st St	SE	Fair	Yes	Parallel Curb Ramp; Worn TD
Selah	362	Test Drive Lane	E	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	363	E 10th Ave & S 1st St	SE	Fair	Yes	Perpendicular Curb Ramp; Worn TD
Selah	364	E 10th Ave & S 1st St	NE	Fair	Yes	Perpendicular Curb Ramp; Worn TD
Selah	365	S 1st St	SW	Fair	Yes	Perpendicular Curb Ramp; Worn TD
Selah	366	S 1st St	NW	Fair	Yes	Perpendicular Curb Ramp; Worn TD
Selah	367	Pleasant Ave & S 1st St	SW	Good	Yes	Perpendicular Curb Ramp;
Selah	368	Pleasant Ave & S 1st St	NW	Fair	Yes	Perpendicular Curb Ramp; Worn TD
Selah	369	S 1st St	SW	Good	Yes	Single Direction Curb Ramp;
Selah	370	S 1st St	NW	Good	Yes	Single Direction Curb Ramp;
Selah	371	S 1st St	SE	Fair	Yes	Single Direction Curb Ramp; Worn TD
Selah	372	S 1st St	NE	Good	Yes	Single Direction Curb Ramp;
Selah	373	S 1st St	SE	Good	Yes	Single direction Curb Ramp;
Selah	374	Riverview Ave & S 1st St	SW	Good	Yes	Single Direction Curb Ramp;
Selah	375	S 1st St	NE	Fair	Yes	Perpendicular Curb Ramp; Worn TD
Selah	376	Riverview Ave & S 1st St	NW	Fair	Yes	Perpendicular Curb Ramp; Worn TD
Selah	377	Jim Clements Way & S 1st St	SE	Good	Yes	Parallel Curb Ramp;
Selah	378	Jim Clements Way & S 1st St	NE	Good	Yes	Parallel Curb Ramp;
Selah	379	Valleyview Ave & S 1st St	NW - W	Fair	Yes	Perpendicular Curb Ramp; Worn TD
Selah	380	Valleyview Ave & S 1st St	NW - S	Fair	Yes	Perpendicular Curb Ramp; Worn TD
Selah	381	Valleyview Ave & S 1st St	SW - N	Fair	Yes	Perpendicular Curb Ramp; Worn TD
Selah	382	Valleyview Ave & S 1st St	SW - E	Fair	Yes	Perpendicular Curb Ramp; Worn TD
Selah	383	S 1st St	SW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	384	S 1st St	NW	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	385	S 1st St	NE	Good	Yes	Single Direction Curb Ramp;
Selah	386	S 1st St	SE	Good	Yes	Single Direction Curb Ramp;
Selah	387	Selah Ave & S 1st St	SW	Fair	Yes	Perpendicular Curb Ramp; Worn TD;
Selah	388	Selah Ave & S 1st St	NW	Fair	Yes	Perpendicular Curb Ramp; Worn TD;
Selah	389	Park Ave & S 1st St	NE	Good	Yes	Perpendicular Curb Ramp;
Selah	390	Park Ave & S 1st St	SE	Good	Yes	Perpendicular Curb Ramp;
Selah	391	Park Ave & S 1st St	NW	Fair	Yes	Perpendicular Curb Ramp; Worn TD;
Selah	392	Park Ave & S 1st St	SW	Fair	Yes	Perpendicular Curb Ramp; Worn TD;
Selah	393	E 2nd Ave & S 1st St	NE	Good	Yes	Perpendicular Curb Ramp;

Selah Curb Ramp Assessment

Agency	Curb Ramp No.	Location	Ramp Position	Condition	Truncated Dome	Notes
Selah	394	E 2nd Ave & S 1st St	SE	Good	Yes	Perpendicular Curb Ramp;
Selah	395	W Yakima Ave & S 1st St	NW	Fair	Yes	Perpendicular Curb Ramp; Worn TD;
Selah	396	W Yakima Ave & S 1st St	SW	Fair	Yes	Perpendicular Curb Ramp; Worn TD;
Selah	397	E 1st Ave & S 1st St	NE	Fair	Yes	Perpendicular Curb Ramp; Worn TD;
Selah	398	E 1st Ave & S 1st St	SE	Fair	Yes	Perpendicular Curb Ramp; Worn TD; Doesn't meet current ADA requirements
Selah	399	Jim Clements Way & E 5th Ave	S	Good	Yes	Parallel Curb Ramp;
Selah	400	Jim Clements Way & E 5th Ave	N (ISLAND)	Good	Yes	Parallel Curb Ramp;
Selah	401	Jim Clements Way & E 5th Ave	SW (ISLAND)	Fair	Yes	Parallel Curb Ramp; Worn TD;
Selah	402	Jim Clements Way & E 5th Ave	NE	Good	Yes	Single Direction Curb Ramp;
Selah	403	E 2nd Ave & Jim Clements Way	SW	Good	Yes	Parallel Curb Ramp;
Selah	404	E 2nd Ave & Jim Clements Way	NW	Good	Yes	Parallel Curb Ramp;
Selah	405	E 1st Ave & Jim Clements Way	SW	Good	Yes	Parallel Curb Ramp;
Selah	406	E 1st Ave & Jim Clements Way	NW	Good	Yes	Parallel Curb Ramp;
Selah	407	E Naches Ave & Jim Clements Way	SW	Good	Yes	Parallel Curb Ramp;
Selah	408	E Naches Ave & Jim Clements Way	SE	Good	Yes	Parallel Curb Ramp;
Selah	409	E Naches Ave & Jim Clements Way	NW - S	Good	Yes	Parallel Curb Ramp;
Selah	410	E Naches Ave & Jim Clements Way	NW - E	Good	Yes	Parallel Curb Ramp;
Selah	411	E Naches Ave & Jim Clements Way	NE	Good	Yes	Perpendicular Curb Ramp;
Selah	412	E Orchard Ave & N Wenas Rd	SW	Good	Yes	Parallel Curb Ramp;
Selah	413	E Orchard Ave & N Wenas Rd	NW	Good	Yes	Parallel Curb Ramp;
Selah	414	E Fremont Ave & N Wenas Rd	SW	Good	Yes	Parallel Curb Ramp;
Selah	415	E Fremont Ave & N Wenas Rd	SE	Good	Yes	Parallel Curb Ramp;
Selah	416	E Fremont Ave & N Wenas Rd	NW	Good	Yes	Parallel Curb Ramp;
Selah	417	E Fremont Ave & N Wenas Rd	NE	Good	Yes	Parallel Curb Ramp;
Selah	418	E Bartlett Ave & N Wenas Rd	SW	Good	Yes	Parallel Curb Ramp;
Selah	419	E Bartlett Ave & N Wenas Rd	NW	Good	Yes	Parallel Curb Ramp;
Selah	420	E Bartlett Ave & N Wenas Rd	NE	Good	Yes	Parallel Curb Ramp;
Selah	421	E Bartlett Ave & N Wenas Rd	SE	Good	Yes	Parallel Curb Ramp;
Selah	422	E Home Ave & N Wenas Rd	SE	Good	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	423	E Home Ave & N Wenas Rd	SW	Good	Yes	Parallel Curb Ramp;
Selah	424	E Home Ave & N Wenas Rd	NW	Good	Yes	Parallel Curb Ramp;
Selah	425	E Home Ave & N Wenas Rd	NE	Good	No	Perpendicular Curb Ramp; Doesn't meet current ADA requirements
Selah	426	Maru Ave & N Wenas Rd	NW	Good	Yes	Parallel Curb Ramp;
Selah	427	Maru Ave & N Wenas Rd	SW	Good	Yes	Parallel Curb Ramp;
Selah	428	N Wenas Rd	SE	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	429	N Wenas Rd	NE	Good	Yes	Commercial Driveway Parallel Curb Ramp;

Selah Curb Ramp Assessment

Agency	Curb Ramp No.	Location	Ramp Position	Condition	Truncated Dome	Notes
Selah	430	Larson Dr & N Wenas Rd	NE	Good	Yes	Parallel Curb Ramp;
Selah	431	Larson Dr & N Wenas Rd	SE	Good	Yes	Parallel Curb Ramp;
Selah	432	N Wenas Rd	NE	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	433	N Wenas Rd	SE	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	434	N Wenas Rd	NE	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	435	N Wenas Rd	SE	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	436	N Wenas Rd	SE	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	437	N Wenas Rd	NE	Good	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	438	N Park Dr	SE	Good	Yes	Parallel Curb Ramp;
Selah	439	N Park Dr	NE	Good	Yes	Parallel Curb Ramp;
Selah	440	N Wenas Rd	SE	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	441	N Wenas Rd	NE	Good	Yes	Commercial Driveway Single Direction Curb Ramp;
Selah	442	N Wenas Rd	SE	Poor	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	443	N Wenas Rd	NE	Poor	No	Parallel Curb Ramp; Doesn't meet current ADA requirements
Selah	444	N Wenas Rd	SE	Good	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	445	N Wenas Rd	NE	Good	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	446	N Wenas Rd	SW	Good	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	447	Jamie Dr & N Wenas Rd	SE	Good	Yes	Perpendicular Curb Ramp;
Selah	448	W Cherry Ave & Senter Pl	SW	Poor	No	Single Direction Curb Ramp; Doesn't meet current ADA requirements
Selah	449	E Goodlander Rd & N Wenas Rd	SE	Fair	Yes	Parallel Curb Ramp; Worn TD
Selah	450	E Goodlander Rd & N Wenas Rd	NE	Good	Yes	Perpendicular Curb Ramp;
Selah	451	E Goodlander Rd & N Wenas Rd	NW - E	Good	Yes	Parallel Curb Ramp;
Selah	452	E Goodlander Rd & N Wenas Rd	NW - S	Good	Yes	Parallel Curb Ramp;
Selah	453	E Goodlander Rd & N Wenas Rd	SW	Good	Yes	Parallel Curb Ramp;
Selah	454	E Bartlett Ave	NW	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	455	E Bartlett Ave	NE	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	456	Riverview Ave & S 5th St	SE	Good	No	Asphalt Ramp; Doesn't meet current ADA requirements
Selah	457	Riverview Ave & Laurel Pl	NE	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	458	Riverview Ave & Laurel Pl	SE	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	459	Riverview Ave	E	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	460	W Orchard Ave & N 3rd St	NE	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	461	W Orchard Ave & N 3rd St	SE	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	462	W Selah Ave	N	Good	Yes	Perpendicular Curb Ramp;
Selah	463	E Home Ave & N 1st St	NW	New Construction	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	464	E Home Ave & N 1st St	SW	New Construction	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	465	Merinda Dr	W	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	466	Merinda Dr	E	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	467	Palmer Dr & N 4th St	NE	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	468	Palmer Dr & N 2nd St	NW	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	469	Palmer Dr & N 2nd St	NE	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	470	E Naches Ave	S	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	471	W Fremont Ave & N 5th St	NE	New Construction	Yes	Parallel Curb Ramp;
Selah	472	W Fremont Ave & N 3rd St	NE	New Construction	Yes	Single Direction Curb Ramp;
Selah	473	N 1st Street	NW	New Construction	Yes	Commercial Driveway Parallel Curb Ramp;

Selah Curb Ramp Assessment

Agency	Curb Ramp No.	Location	Ramp Position	Condition	Truncated Dome	Notes
Selah	474	N 1st Street	SW	New Construction	Yes	Commercial Driveway Parallel Curb Ramp;
Selah	475	E Naches Ave	N	New Construction	Yes	Perpendicular Curb Ramp;
Selah	476	Speyers Rd & N 14th St	SW	Good	No	No Ramp; Doesn't meet current ADA requirements
Selah	477	Southern Ave & S 3rd St	NE	New Construction	Yes	Single Direction Curb Ramp;
Selah	478	Southern Ave & S 3rd St	NW	New Construction	Yes	Parallel Curb Ramp;
Selah	479	Pleasant Ave & S 3rd St	SW	New Construction	Yes	Parallel Curb Ramp;
Selah	480	Pleasant Ave & S 3rd St	NW	New Construction	Yes	Parallel Curb Ramp;
Selah	481	Riverview Ave & S 3rd St	SW	New Construction	Yes	Parallel Curb Ramp;
Selah	482	Riverview Ave & S 3rd St	NW	New Construction	Yes	Parallel Curb Ramp;
Selah	483	Valleyview Ave & S 3rd St	SW	New Construction	Yes	Single Direction Curb Ramp;
Selah	484	Valleyview Ave & S 3rd St	NE	New Construction	Yes	Single Direction Curb Ramp;

Curb Ramp Condition

Good: Satisfactory. No major cracks or breaks. Easily traversable by all.

Fair: Some breaks or cracks. Possible small issues for a wheelchair to traverse.

Poor: Large breaks and cracks throughout. Would be difficult for a wheelchair to use.

ADA Compliance Issue: The sidewalk ramp or curb cut doesn't meet current ADA standards, and needs to be updated.

New Construction: An ADA curb ramp installed in the last 5 years that meets current ADA standards.

Selah Push Button Assessment

Agency	Intersection	Position	Height off Ground	Audio	Notes
Selah	Wenas Rd. & E Naches Ave.	NE for E Crosswalk	3'6"	Locating Beep; "Wait" on push; "Street Name, Walk Sign is on Across Street Name"	
Selah	Jim Clements Way & E Naches Ave.	SE for S Crosswalk	3'6"	Locating Beep; "Wait" on push; "Street Name, Walk Sign is on Across Street Name"	
Selah	Jim Clements Way & E Naches Ave.	SE for E Crosswalk	3'6"	Locating Beep; "Wait" on push; "Street Name, Walk Sign is on Across Street Name"	
Selah	Wenas Rd. & E Goodlander Rd.	NW for N Crosswalk	3'4"	Locating Beep; "Wait" on push; "Street Name, Walk Sign is on Across Street Name"	
Selah	Wenas Rd. & E Goodlander Rd.	NW for W Crosswalk	3'4"	Locating Beep; "Wait" on push; "Street Name, Walk Sign is on Across Street Name"	
Selah	Wenas Rd. & E Goodlander Rd.	SW for S Crosswalk	3'4"	Locating Beep; "Wait" on push; "Street Name, Walk Sign is on Across Street Name"	
Selah	Wenas Rd. & E Goodlander Rd.	SW for W Crosswalk	3'4"	Locating Beep; "Wait" on push; "Street Name, Walk Sign is on Across Street Name"	
Selah	Wenas Rd. & E Goodlander Rd.	NE for N Crosswalk	3'4"	Locating Beep; "Wait" on push; "Street Name, Walk Sign is on Across Street Name"	
Selah	Wenas Rd. & E Goodlander Rd.	NE for E Crosswalk	3'4"	Locating Beep; "Wait" on push; "Street Name, Walk Sign is on Across Street Name"	
Selah	Wenas Rd. & E Goodlander Rd.	SE for S Crosswalk	3'4"	Locating Beep; "Wait" on push; "Street Name, Walk Sign is on Across Street Name"	
Selah	Wenas Rd. & E Goodlander Rd.	SE for E Crosswalk	3'4"	Locating Beep; "Wait" on push; "Street Name, Walk Sign is on Across Street Name"	
Selah	Park Ave. & S 3rd St.	NE for E Crosswalk	3'4"	One beep on push	Sign Reads, "Push Button to turn on warning lights"
Selah	Park Ave. & S 3rd St.	SW for S Crosswalk	3'4"	One beep on push	Sign Reads, "Push Button to turn on warning lights"
Selah	Park Ave. & S 3rd St.	SE for E Crosswalk	3'4"	One beep on push	Sign Reads, "Push Button to turn on warning lights"
Selah	Yakima Ave. & S 3rd St.	NE for E Crosswalk	3'4"	One beep on push	Sign Reads, "Push Button to turn on warning lights"
Selah	Yakima Ave. & S 3rd St.	SE for E Crosswalk	3'	One beep on push	Sign Reads, "Push Button to turn on warning lights"
Selah	W Naches Ave. & S 3rd St.	SW for S Crosswalk	3'	One beep on push	Sign Reads, "Push Button to turn on warning lights"
Selah	W Naches Ave. & S 3rd St.	SE for S Crosswalk	3'	One beep on push	Sign Reads, "Push Button to turn on warning lights"
Selah	W Fremont Ave. & N 3rd St.	NW for W Crosswalk	3'8"	Locating Beep; "Wait" on push; "Cross street with caution, vehicles may not stop"	
Selah	W Fremont Ave. & N 3rd St.	SW for W Crosswalk	3'9"	Locating Beep; "Wait" on push; "Cross street with caution, vehicles may not stop"	

Curb Ramp Condition

ADA Compliant: This push button and crossing signal are ADA Compliant

ADA Compliance Issue: This push button has issues that need to be adressed